

INDEX SEMINUM



Botanická zahrada Teplice
Botanical Garden Teplice
Czech Republic
2022-2023



BOTANICKÁ ZAHRADA
TEPLICE



Cover photo: *Dimorphotheca sinuata* (Asteraceae)

Botanical Garden Teplice

Botanical Garden Teplice
Josefa Suka 1388/18
415 01 Teplice
Czech Republic

Latitude: N 50°38'17"

Longitude: E 13°50'32"

Altitude: 228 m a. s. l.

Website: www.botanickateplice.cz



www.facebook.com/botanickateplice



www.instagram.com/botanickateplice



www.youtube.com/channel/UCBV1_Pu7mIXOM2Yai-Kz3gw

E-mail: curator@botanickateplice.cz or botanika@botanickateplice.cz

The Botanical Garden Teplice
is a member of the:



Our botanical garden is a part of the IPEN network (= International Plant Exchange Network).
You can find us under the institution code **TEBLI**.

This Index seminum can be searched through the global seed search system:

seminumsystem2022 **seminumipen2022** **seminumwild2022**

MEAN MONTHLY TEMPERATURE (°C)

I.	II.	III.	IV.	V.	VI.	VII.	VIII.	IX.	X.	XI.	XII.
-1.3	0.5	4.1	8.9	13.9	17.0	18.6	18.0	13.9	8.8	3.6	0.3

Mean Annual Temperature: 8.9 °C

Extreme Highest Temperature: +35.9 °C (29/07/1983)

Extreme Lowest Temperature: -21.7 °C (14/01/1987)

MEAN MONTHLY RAINFALL (mm)

I.	II.	III.	IV.	V.	VI.	VII.	VIII.	IX.	X.	XI.	XII.
33.6	29.8	35.0	33.7	50.1	64.0	58.0	60.0	40.9	32.9	38.0	40.4

Mean Annual Precipitation: 516.4 mm

Botanical Garden Teplice

The Botanical Garden Teplice was established by the Teplice City Council in 2002 as an independent public body and fully funded by the Teplice City Council. From the garden's total area of two hectares almost a half is dedicated to the open-air display of plants. The exhibition greenhouses cover 2,400 m² of land and the storage greenhouses, which are not open to the public, cover 1,750 m². Each one of our four greenhouses is dedicated to a distinct climatic zone.

THE XERIC GREENHOUSE

Vast areas of the Earth are covered with plant communities which have adapted to the long periods of drought. We have selected some especially attractive ones: Central America, primarily Mexican half deserts, dry mountain areas of South America, western parts of South Africa and arid South of Madagascar. These main areas are supplemented with several smaller ones – a show of flora from the Galapagos Islands, Arabia and rare vegetation of the Socotra Island which is situated in the Arabian Sea between Yemen and Somalia.

THE TROPICAL GREENHOUSE

This is the most spacious. It covers an area of over 1,000 square meters and stands almost 16 meters high. A lively waterfall, two flowing brooks, a copy of the ruins of a Mexican pyramid, a glazed case with orchids and other rare plants, a pond and aquariums enhance the interior. All plants exhibits are displayed – as in other greenhouses – by their geographical origin and include collections from tropical America, Asia, Australia, Africa and northern Madagascar.

THE SUBTROPICAL GREENHOUSE

The Andes of Chile, the Himalayas and subtropics of the south-eastern Asia, New Zealand, mountains and eastern part of South Africa with winter rains – that is all we try to introduce in the subtropical greenhouse. The subtropical exposures are diversified in a show-case with quite cold-loving carnivorous plants and orchids and a patio created by a column down which water flows with a star pergola inspired by the travels around Mexico.

THE ROCK GARDEN GREENHOUSE

The Rock Garden Greenhouse is the newest construction subsequent the whole exhibition complex. There are dedicate to plants from the mountain areas of Europe (incl. Canary Islands), Asia, North America, New Zealand and South American (incl. the Chilean desert Atacama).

THE OPEN-AIR DISPLAY

The outdoor exposure is spread on the area of 1.5 hectares and during one day in the botanic garden you can travel almost all around the world. As well as the greenhouse exposure the whole area is divided to the individual regions on the Earth from the geographic point of view.

Index seminum

SEED COLLECTORS

Petra Bílková
Michaela Dvořáková
Harald Eichhorn
Anna Frolíková
Hana Hajná
Martina Jirsová
Vendula Nosková
Iveta Pavlíčková
Marcela Strnadová
Veronika Sýsová
Martin Šimek
Hana Šedivá

SENIOR GARDENER

Anna Frolíková
Marcela Strnadová

SEED EXCHANGE

Dominika Köhlerová

CURATOR

Jan Ptáček

DIRECTOR

Petr Šíla

Monilophyta

Aspleniaceae

- 1 0 ***Athyrium niponicum*** (Mett.) Hance '**Metallicum**'
XX-0-TEBLI-02200
- 2 0 ***Athyrium niponicum*** (Mett.) Hance '**Pewter Lace**'
XX-0-TEBLI-02201 [ex Pereny Hlavenec, Czech Republic]

Dryopteridaceae

- 3 0 ***Dryopteris affinis*** agg. '**Pinderi**'
XX-0-TEBLI-02202
- 4 0 ***Dryopteris atrata*** (Wall. ex Kunze) Ching
XX-0-TEBLI-02203 [ex Pereny Hlavenec, Czech Republic]
- 5 0 ***Dryopteris celsa*** (W. Palmer)
XX-0-LZ-F 200/1987 [ex BG Leipzig, Germany]
- 6 0 ***Polystichum acrostichoides*** (Michx.) Schott
US-0-TUEB-1449
loc. USA, Massachusetts, Franklin Co. [ex BG Tübingen, Germany]
- 7 0 ***Polystichum andersonii*** Hopkins
CA-0-TEBLI-02204
loc. Canada, British Columbia, Garibaldi Provincial Park
[ex BG Chemnitz, Germany]
- 8 0 ***Polystichum dracomontanum*** Schelpe & N.C.Anthony
ZA-0-TEBLI-02205
loc. Republic of South Africa, Drakensberge
[ex BG Chemnitz, Germany]
- 9 0 ***Polystichum lonchitis*** (L.) Roth
BG-0-TEBLI-02206
loc. Bulgaria, Pirin, Vichren [coll. A. Frolíková, 1. 9. 2011]
- 10 0 ***Polystichum munitum*** (Kaulf.) C.Presl
XX-0-TEBLI-02207 [ex BG Deurne, Belgium]
- 11 0 ***Polystichum setiferum*** Rosendahl '**Plumosomultilobum Group**'
XX-0-TEBLI-02208 [ex Zám. centrum Parkon, Czech Republic]
- 12 0 ***Polystichum setiferum*** Rosendahl '**Plumosum Densum**'
XX-0-TEBLI-02209 [ex Zám. centrum Parkon, Czech Republic]
- 13 0 ***Polystichum tripterum*** (Kunze) C.Presl
JP-0-STGAL-20262
loc. Japan [ex BG St. Gallen, Switzerland]

Osmundaceae

- 14 0 ***Osmunda regalis*** L.
XX-0-TEBLI-02210

Polypodiaceae

- 15 0 ***Polypodium virginianum*** L.
US-0-TEBLI-02211
loc. USA, Illinois, Ottawa, Illinois River [ex BG Chemnitz, Germany]
- 16 0 ***Polypodium vulgare*** L. '**Cornubiense**'
XX-0-TEBLI-02212

Pteridaceae

- 17 0 ***Adiantum aleuticum*** (Rupr.) C.A.Paris
US-0-TEBLI-02213
loc. USA, Alaska, Unalaska [ex BG Chemnitz, Germany]
- 18 0 ***Adiantum pedatum*** L.
XX-0-BHU-UA-0000-6 [ex BG Berlin-Humboldt, Germany]
- 19 0 ***Adiantum pedatum*** L. '**Imbricatum**'
XX-0-TEBLI-02214 [ex Pereny Hlavenec, Czech Republic]
- 20 0 ***Adiantum venustum*** D.Don
XX-0-GZU-YY- 200452 [ex BG Graz, Austria]

Woodsiaceae

- 21 0 ***Woodsia polystichoides*** D.C.Eaton
RU-0-TEBLI-02215
loc. Russia, Sachalin [ex BG Chemnitz, Germany]

Angiosperms

Eudicots

Acanthaceae

- 22 G ***Barleria obtusa*** Nees
XX-0-TEBLI-01396 [ex Silverhill Seeds, South Africa]
- 23 0 ***Ruellia humilis*** Nutt.
XX-0-TEBLI-01504 [ex BG Krefeld, Germany]

Amaranthaceae

- 24 0 **Amarantus**-hybrid '**Hopi Red Dye**'
XX-0-TEBLI-00588 [ex BG Marijampolė, Lithuania]
- 25 0 **Atriplex hortensis** L. (red)
XX-0-TEBLI-02216
- 26 0 **Gomphrena haageana** Klotzsch '**Oranžová**'
XX-0-TEBLI-02217 [ex Černý Seed s r.o., Czech Republic]
- 27 G **Pleuropetalum darwinii** Hook.f.
EC-0-B-0547874
loc. Ecuador, Galápagos Isl., Santa Cruz Isl. [ex BG Berlin-Dahlem, Germany]

Apiaceae

- 28 0 **Angelica archangelica** L.
XX-0-ULM-2000-F-271 [ex BG Ulm, Germany]
- 29 0 **Bunium bulbocastanum** L.
XX-0-BHU-F-1991-454 [ex BG Berlin-Humboldt, Germany]
- 30 0 **Eryngium xoliverianum** F. Delaroche
XX-0-TEBLI-02083 [ex BG Łódź, Poland]
- 31 0 **Eryngium bourgatii** Gouan
XX-0-TEBLI-0009 [ex BG MU Brno, Czech Republic]
- 32 0 **Eryngium yuccifolium** Michx.
US-0-TEBLI-02218
loc. USA, Illinois [ex BG Göttingen, Germany]
- 33 0 **Myrrhis odorata** (L.) Scop.
XX-0-TEBLI-02086 [ex Zahr. Krulichovi, Czech Republic]

Apocynaceae

- 34 0 **Amsonia ciliata** var. **texana** (A.Gray) J.M.Coult.
XX-0-CLA-0368 [ex BG Cluj-Napoca, Romania]
- 35 0 **Amsonia ciliata** Walter
XX-0-CLA-3528 [ex BG Cluj-Napoca, Romania]
- 36 0 **Amsonia ciliata** Walter
XX-0-TUEB-615 [ex BG Tübingen, Germany]
- 37 0 **Amsonia elliptica** (Thunb.) Roem. & Schult.
XX-0-TEBLI-01517 [ex BG Cluj-Napoca, Romania]
- 38 0 **Amsonia illustris** Woodson
XX-0-TEBLI-01518 [ex BG LF MU Brno, Czech Republic]
- 39 0 **Amsonia illustris** Woodson
XX-0-TEBLI-0013 [ex BG Stuttgart-Hohenheim, Germany]
- 40 0 **Amsonia orientalis** Decne
XX-0-TEBLI-00810 [ex BG Lausanne, Switzerland]

- 41 O ***Amsonia 'Seaford Skies'***
XX-0-TEBLI-01521 [ex BG Praha, Czech Republic]
- 42 O ***Amsonia tabernaemontana* var. *salicifolia*** (Pursh) Woodson
XX-0-TEBLI-01523 [ex BG Weinheim, Germany]
- 43 O ***Amsonia tabernaemontana*** Walter
XX-0-TEBLI-02219 [ex Zahr. Krulichovi, Czech Republic]
- 44 O ***Amsonia tabernaemontana*** Walter
XX-0-TEBLI-01522 [ex BG Cluj-Napoca, Romania]
- 45 O ***Amsonia tharpaii*** Woodson
US-0-TEBLI-02220
loc. USA, New Mexico, Eddy Co., 945 m [ex Alplains, USA]
- 46 O ***Asclepias incarnata* L. 'Soulmate'**
XX-0-TEBLI-01404 [ex Chiltern Seeds, UK]
- 47 G ***Catharanthus trichophyllus*** (Baker) Pichon
MG-0-TEBLI-00017
loc. Madagascar, Isalo Mts. [coll. E. Smržová]
[ex BG Praha, Czech Republic]
- 48 G ***Huernia pillansii*** N.E.Br.
XX-0-TEBLI-01529 [ex BG Le Breuil, France]

Asteraceae

- 49 O ***Acmella oleracea*** (L.) R.K.Jansen **f. *purpurea* (purple leaved)**
XX-0-TEBLI-02091 [ex Jelitto, Germany]
- 50 O ***Acmella oleracea*** (L.) R.K.Jansen
XX-0-TEBLI-02092 [ex Jelitto, Germany]
- 51 O ***Ageratina altissima*** (L.) R.M.King & H.Rob. **'Chocolate'**
XX-0-TEBLI-02221 [ex Zám. zahr. Ctěnice, Czech Republic]
- 52 O ***Ageratina aromatica*** (L.) Spach
XX-0-TEBLI-01542 [ex Zahr. Krulichovi, Czech Republic]
- 53 O ***Ageratina occidentalis*** (Hook.) R.M.King & H.Rob.
US-0-PRAZ-2018.01762
loc. USA, Oregon, Mahonita Village, forest near Crater Lake
[ex BG Praha, Czech Republic]
- 54 O ***Ageratum maritimum*** Kunth
MX-0-TEBLI-02222
loc. Mexico, Quinatana Roo, Tulum [coll. M. Strnadová, 2021]
- 55 O ***Achillea millefolium* L. 'Cerise Queen'**
XX-0-TEBLI-00921 [ex Černý Seed s r.o., Czech Republic]
- 56 O ***Anaphalis margaritacea*** (L.) Benth. & Hook.f. **'New Snow'**
XX-0-TEBLI-01543 [ex Černý Seed s r.o., Czech Republic]
- 57 O ***Andryala agardhii*** Haens. ex DC.
XX-0-TEBLI-00600 [ex BG Jena, Germany]

- 58 0 ***Aster alpinus*** L.
AT-O-KIEL-2008 0030 - 10 - 228
loc. Austria, Carinthia, Pasterze, Hoffmanns-Hütte [ex BG Kiel, Germany]
- 59 0 ***Aster alpinus*** L. '**Albus**'
XX-O-TEBLI-01547 [ex BG Tallinn, Estonia]
- 60 0 ***Aster alpinus*** L. '**Roseus**'
XX-O-TEBLI-01413 [ex BG Vilnius, Lithuania]
- 61 0 ***Aster alpinus*** L. '**Dark Beauty**'
XX-O-TEBLI-01548 [ex ZBG Plzeň, Czech Republic]
- 62 0 ***Aster alpinus*** L. '**Dunkle Schöne**'
XX-O-TEBLI-01820 [ex BG Lublin, Poland]
- 63 0 ***Aster alpinus*** L. '**Pirinensis**'
XX-O-TEBLI-00988 [ex BG St. Andrews, UK]
- 64 0 ***Aster flaccidus*** Bunge
XX-O-TEBLI-01807 [ex BG Bormio, Italy]
- 65 0 ***Aster koraiensis*** Nakai
XX-O-TEBLI-01575
- 66 0 ***Berkheya cirsiifolia*** (DC.) Roessler
ZA-O-IB-008865
loc. South Africa [ex BG Innsbruck, Austria]
- 67 0 ***Berkheya purpurea*** (DC.) Benth. & Hook.f. ex Mast. '**Silver Spikes**'
XX-O-TEBLI-01552 [ex BG Praha, Czech Republic]
- 68 0 ***Berkheya radula*** (Harv.) De Wild.
XX-O-Z-20140391 [ex BG Zürich, Switzerland]
- 69 0 ***Bidens aurea*** (Aiton) Sherff
XX-O-MADJ-04-2018-N [ex BG Madeira, Portugal]
- 70 0 ***Bidens pilosa*** L.
XX-O-TEBLI-02223 [ex BG Iași, Romania]
- 71 0 ***Bupthalmum salicifolium*** L.
XX-O-TEBLI-01964 [ex BG Nantes, France]
- 72 0 ***Carduus acanthoides*** L.
CZ-O-TEBLI-02224
loc. Czech Republic, North Bohemia, Fláje, 50.6656597°N, 13.6189103°E
[coll. A. Frolíková, 3. 9. 2022]
- 73 0 ***Centaurea atropurpurea*** Olivier
XX-O-TEBLI-02225; G-2017.443 [ex BG Stavanger, Norway]
- 74 0 ***Centaurea macrocephala*** Muss. Puschk. ex Willd.
XX-O-TEBLI-00042
- 75 0 ***Centaurea orientalis*** L.
RO-O-CLA-3030
loc. Romania, Măcinului Mountains, 44°29'N, 28°26'E
[ex BG Cluj-Napoca, Romania]

- 76 0 ***Centaurea solstitialis*** L.
BG-0-TEBLI-00822
loc. Bulgaria, Vratsa Province, Bozhia Most [coll. A. Frolíková, 26. 08. 2011]
- 77 0 ***Cichorium endivia*** L.
XX-0-TEBLI-02226 [ex BG Jibou, Romania]
- 78 0 ***Cirsium eriophorum*** Scop.
XX-0-TEBLI-02227 [ex BG Caen, France]
- 79 0 ***Cirsium eriophorum*** Scop.
CZ-0-TEBLI-02228
loc. Czech Republic, North Bohemia, meadow near Church of St. Jakub Větší,
Hrobčice-Mrzlice, 50.5105281°N, 13.8102869°E [coll. A. Frolíková,
21. 8. 2022]
- 80 0 ***Coreopsis auriculata*** L.
XX-0-BONN-29732 [ex BG Bonn, Germany]
- 81 0 ***Coreopsis 'Route 66'***
XX-0-TEBLI-02229 [ex Zám. zahr. Ctěnice, Czech Republic]
- 82 0 ***Dahlia sorensenii*** H.V.Hansen & Hjert.
XX-0-JENA-7422103-80 [ex BG Jena, Germany]
- 83 0 ***Dieteria canescens*** (Pursh) Nutt.
US-0-GZU-11 420698
loc. USA [ex BG Graz, Austria]
- 84 0 ***Echinops humilis*** M.Bieb.
XX-0-TEBLI-02097 [ex BG Berlin-Dahlem, Germany]
- 85 0 ***Erigeron aureus*** Greene
XX-0-TUEB-1323 [ex BG Tübingen, Germany]
- 86 0 ***Erigeron caucasicus*** Steven
AT-0-IAGB197610G
loc. Austria [ex BG Iași, Romania]
- 87 0 ***Erigeron epiroticus*** (Vierh.) Halácsy
BA-0-M-1998/1565
loc. Bosnia and Herzegovin, 1850 m
[ex BG München, Germany]
- 88 0 ***Erigeron grandiflorus*** Hook.
XX-0-TEBLI-02230 [ex BG Jena, Germany]
- 89 0 ***Erigeron pulchellus*** Michx.
XX-0-BONN-29602 [ex BG Bonn, Germany]
- 90 0 ***Erigeron speciosus*** DC. [syn. *Erigeron macranthus* Nutt.]
XX-0-TEBLI-00061 [ex BG Vácrátót, Hungary]
- 91 0 ***Erigeron speciosus*** DC. '**Azure Fairy**'
XX-0-TEBLI-02231
- 92 0 ***Eurybia divaricata*** (L.) G.L.Nesom [syn. *Aster divaricatus* L.]
US-0-MSTR-5583
loc. USA [ex BG Jena, Germany]

- 93 0 ***Eurybia divaricata*** (L.) G.L.Nesom '**Tradescant'**
[syn. *Aster divaricatus* L. 'Tradescant']
XX-0-TEBLI-01559 [ex Pereny Hlavenec, Czech Republic]
- 94 0 ***Eutrochium maculatum*** (L.) E.E.Lamont
XX-0-LZ-ZF-998-1996 [ex BG Leipzig, Germany]
- 95 0 ***Felicia aethiopica*** (Burm.f.) Grau
XX-0-PRAZ-2003.19066
[ex Silverhill Seeds, South Africa via BG Praha, Czech Republic]
- 96 0 ***Gaillardia pulchella*** Foug.
US-0-DR-009747
loc. USA [ex BG Dresden, Germany]
- 97 0 ***Gazania linearis*** Druce
XX-0-TEBLI-02232 [ex BG Braunschweig, Germany]
- 98 0 ***Grindelia squarrosa*** (Pursh) Dunal
XX-0-HAL-980 [ex BG Halle, Germany]
- 99 0 ***Haplopappus foliosus*** DC.
CL-0-TEBLI-02233
loc. Chile, Coquimbo Region, Choapa Province, Pichidanguí
[coll. J. R. Haager & H. Šedivá, 2012]
- 100 0 ***Haplopappus macrocephalus*** (Poepp. Ex Less.) DC.
CL-0-TEBLI-01974
loc. Chile [coll. M. Belov]
[ex Chileflora, Chile]
- 101 0 ***Helenium puberulum*** DC.
XX-0-DR-004255 [ex BG TU Dresden, Germany]
- 102 0 ***Helianthus decapetalus*** L. '**Capenoch Star'**
XX-0-TEBLI-02234 [ex Pereny Hlavenec, Czech Republic]
- 103 0 ***Helichrysum thianschanicum*** Regel '**Goldkind'**
XX-0-TEBLI-02235 [ex Jelitto, Germany]
- 104 0 ***Helichrysum trilineatum*** DC.
XX-0-PRAZ-2010.01714 [ex Holzbecher Josef via BG Praha, Czech Republic]
- 105 0 ***Helichrysum witbergense*** Bolus
ZA-0-KL-2015/3511
loc. Republic of South Africa, Eastern Cape [ex BG Klagenfurt, Austria]
- 106 0 ***Heliopsis helianthoides* var. *scabra*** (Dunal) Fernald '**Bleeding Hearts'**
XX-0-TEBLI-01975 [ex Jelitto, Germany]
- 107 0 ***Heterotheca camporum* var. *gladulissima*** Semple
XX-0-TEBLI-02236 [ex Zám. zahr. Ctěnice, Czech Republic]
- 108 0 ***Heterotheca pumila*** (Greene) Semple
XX-0-TEBLI-01288 [ex BG Praha, Czech Republic]
- 109 0 ***Hieracium tomentosum*** L. [syn. *Hieracium lanatum* Vill.]
XX-0-TEBLI-01419 [ex Jelitto, Germany]

- 110 0 ***Homogyne alpina*** (L.) Cass.
CZ-0-TEBLI-02237
loc. Czech Republic, South Bohemia, Libínské Sedlo, 48.9755283°N,
14.0116842°E [coll. A. Frolíková, 15. 8. 2022]
- 111 0 ***Layia platyglossa*** (Fisch. & C.A.Mey.) A.Gray
XX-0-TEBLI-02238 [ex BG Bayreuth, Germany]
- 112 0 ***Leucanthemella serotina*** (L.) Tzvelev
XX-0-TEBLI-00999
- 113 0 ***Ligularia 'Britt Marie Crawford'***
XX-0-TEBLI-02239
- 114 0 ***Ligularia dentata*** (A.Gray) Hara **'Midnight Lady'**
XX-0-TEBLI-01154 [ex Jelitto, Germany]
- 115 0 ***Ligularia sibirica*** Cass.
XX-0-TEBLI-01829 [ex A Bolestraszyce, Poland]
- 116 0 ***Pachystegia minor*** (Cheeseman) Molloy
XX-0-WURZB-1995-159-K-70 [ex BG Würzburg, Germany]
- 117 0 ***Parthenium integrifolium*** L.
XX-0-TEBLI-01576 [ex BG St. Louis, USA]
- 118 0 ***Ptilostemon afer*** (Jacq.) Greuter
XX-0-ROST-2003-F-3253 [ex BG Rostock, Germany]
- 119 0 ***Rudbeckia fulgida* var. *sullivantii*** (C.L.Boynton & Beadle) Cronquist
XX-0-TEBLI-01583
- 120 0 ***Rudbeckia hirta*** L. **'Cherry Brandy'**
XX-0-TEBLI-02240 [ex Černý Seed s r.o., Czech Republic]
- 121 0 ***Rudbeckia triloba*** L. **'Prairie Glow'**
XX-0-TEBLI-02241 [ex BG Weinheim, Germany]
- 122 0 ***Scorzonera hispanica*** L.
DE-0-BR-1997115519
loc. Germany [ex BG Meise, Belgium]
- 123 0 ***Senecio elegans*** L.
XX-0-TEBLI-02102 [ex BG Kursk, Russia]
- 124 0 ***Senecio polyodon*** DC.
XX-0-TEBLI-02103 [ex Jelitto, Germany]
- 125 0 ***Senecio* sp.**
CL-0-TEBLI-02242
loc. Chile, Los Lagos Region, between Osorno and Llanquihue Province, Volcán
Osorno [coll. J. R. Haager & H. Šedivá, 2012]
- 126 0 ***Solidago caesia*** L.
XX-0-TEBLI-01586 [ex BG Průhonice, Czech Republic]
- 127 0 ***Solidago odora*** Ait.
US-0-TEBLI-02243
loc. USA, Missouri, Stoddard Co. [ex BG St. Louis, USA]

- 128 0 ***Solidago ptarmicoides*** (Torr. & A.Gray) B.Boivin
XX-0-TUEB-619 [ex BG Tübingen, Germany]
- 129 0 ***Solidago roanensis*** Porter
XX-0-TEBLI-02244 [ex BG Praha, Czech Republic]
- 130 0 ***Solidago virgaurea*** L.
CZ-0-TEBLI-02245
loc. Czech Republic, South Bohemia, Prachatice, 48.9975172°N,
14.0084392°E [coll. A. Frolíková, 16. 8. 2022]
- 131 0 ***Symphotrichum ontarionis*** (Wiegand) G.L.Nesom
XX-0-TEBLI-01834 [ex BG LF MU Brno, Czech Republic]
- 132 0 ***Symphotrichum turbinellum*** (Lindl.) G.L.Nesom
[syn. *Aster turbinellus* Lindl. in Hook.]
US-0-HBG-2004-F-154
loc. USA [ex BG Hamburg, Germany]
- 133 0 ***Tanacetum macrophyllum*** (Waldst. & Kit.) Sch.Bip
XX-0-TEBLI-01595 [ex Zahr. Krulichovi, Czech Republic]
- 134 0 ***Tanacetum parthenium*** (L.) Sch. Bip.
XX-0-TEBLI-02246 [ex Plant World Seeds, UK]
- 135 0 ***Thelesperma burridgeanum*** S.F. Blake '**Brunette**'
XX-0-TEBLI-02104 [ex BG St. Gallen, Switzerland]
- 136 0 ***Tripleurospermum caucasicum*** (Willd) Hayek
[syn. *Chrysanthemum caucasicum* (Willd.) Pers.]
XX-0-TEBLI-00092
- 137 0 ***Ursinia nana*** DC.
XX-0-PLZEN-0598-20-10 [ex ZBG Plzeň, Czech Republic]
- 138 0 ***Ursinia speciosa*** DC.
XX-0-HAL-5493 [ex BG Halle, Germany]
- 139 0 ***Vernonia arkansana*** DC.
XX-0-TEBLI-00626
- 140 0 ***Vernonia fasciculata*** Michx.
XX-0-TEBLI-00842
- 141 0 ***Vernonia gigantea*** (Walter) Trel.
XX-0-TEBLI-01598 [ex BG Vácrátót, Hungary]
- 142 0 ***Vernonia lettermannii*** Engelm. ex A. Gray
XX-0-TEBLI-01162 [ex BG Weinheim, Germany]
- 143 0 ***Vernonia noveboracensis*** (L.) Willd.
XX-0-TEBLI-02247
- 144 0 ***Viguiera revoluta*** (Meyen) S.F.Blake
CL-0-TEBLI-01982
loc. Chile, Metropolitana de Santiago Region, Cordillera Province, Embalse el
Yeso [coll. J. R. Haager & H. Šedivá, 2015]

- 145 O ***Xanthisma coloradoense*** (A.Gray) D.R.Morgan & R.L.Hartm.
XX-0-TEBLI-02248 [ex Jelitto, Germany]
- 146 O ***Zinnia angustifolia*** Kunth
MX-0-DR-004230
loc. Mexico [ex BG TU Dresden, Germany]
- 147 O ***Zinnia peruviana*** (L.) L.
MX-0-DR-012377
loc. Mexico [ex BG TU Dresden, Germany]

Begoniaceae

- 148 G ***Begonia parilis*** Irmsch.
XX-0-TEBLI-02249 [ex BG Liberec, Czech Republic]

Boraginaceae

- 149 G ***Cordia obovata*** Balf.f.
YE-0-TEBLI-00635
loc. Yemen, Socotra, Qaysoh Wadi [V. Bejček, 2003]
- 150 O ***Moltkia petraea*** (Tratt.) Griseb.
XX-0-TEBLI-01840 [ex Jelitto, Germany]
- 151 O ***Phacelia bolanderi*** A. Gray
XX-0-KL-2016/3831 [ex BG Leipzig, Germany]
- 152 O ***Phacelia minor*** (Harv.) Thell. ex F. Zimm
XX-0-HOH-SYS-13411 [ex BG Stuttgart-Hohenheim, Germany]

Brassicaceae

- 153 O ***Aethionema armenum*** Boiss
XX-0-TEBLI-00134 [ex BG Vienna Belvedere, Austria]
- 154 O ***Aethionema grandiflorum*** Boiss. & Hohen.
XX-0-TEBLI-02250 [ex BG MZLU Brno, Czech Republic]
- 155 O ***Aethionema schistosum*** Boiss. & Kotschy
XX-0-TEBLI-01605 [ex Jelitto, Germany]
- 156 O ***Arabis blepharophylla*** Hook. & Arn.
XX-0-TEBLI-02107 [ex BG Bratislava, Slovakia]
- 157 O ***Arabis collina*** Ten. [syn. *Arabis rosea* DC.]
XX-0-TEBLI-02251 [ex BG Geneve, Switzerland]
- 158 O ***Aubrieta columnae* subsp. *croatica*** (Schott, Nyman & Kotschy) Mattf.
XX-0-HAL-1992 [ex BG Halle, Germany]
- 159 O ***Coluteocarpus vesicaria*** (L.) Holmboe
XX-0-LI-6615 [ex BG Linz, Austria]
- 160 O ***Draba hispanica*** Boiss.
XX-0-TEBLI-01842 [ex BG Berlin-Dahlem, Germany]

- 161 0 ***Draba loiseleurii*** Boiss.
XX-0-TEBLI-02109 [ex Jelitto, Germany]
- 162 0 ***Draba magellanica*** Lam.
AR-0-TEBLI-00639
loc. Argentina, Neuquén Province, W of Zapala, El Atravesado, 1940 m
[ex BG Marburg, Germany]
- 163 0 ***Erysimum jugicola*** Jord.
XX-0-TEBLI-02110 [ex BG Jibou, Romania]
- 164 0 ***Erysimum pulchellum*** (Willd.) J.Gay
XX-0-STGAL-152/1981 [ex BG St. Gallen, Switzerland]
- 165 0 ***Erysimum rhaeticum*** (Schleich. ex Hornem.) DC.
XX-0-UDE-17-110-8-0 [ex BG Duisburg-Essen, Germany]
- 166 0 ***Heliophila coronopifolia*** L.
XX-0-TEBLI-02252 [ex BG Kursk, Russia]
- 167 0 ***Hormathophylla spinosa*** (L.) P.Küpfer [syn. *Ptilotrichum spinosum* Boiss.]
XX-0-TEBLI-02253 [ex BG Granada, Spain]
- 168 0 ***Iberis gibraltarica*** L. 'Chameleon'
XX-0-TEBLI-00642 [ex BG Kaunas, Lithuania]
- 169 0 ***Lunaria annua*** L.
CZ-0-TEBLI-02254
loc. Czech Republic, North Bohemia, Charvatce u Loun, 50.4262886°N,
13.8121861°E [coll. L. Frolíková, 2012]
- 170 0 ***Lunaria annua*** L. (deep purple flowers)
CZ-0-TEBLI-02255
loc. Czech Republic, North Bohemia, Teplice-Prosetice, 50.6320078°N,
13.8430992°E [coll. A. Frolíková, 7. 8. 2022]
- 171 0 ***Matthiola maderensis*** Lowe
PT-0-MADJ-20-2016
loc. Portugal, Madeira [ex BG Madeira, Portugal]

Calceolariaceae

- 172 0 ***Calceolaria andina*** Benth.
XX-0-JENA-7121970 [ex BG Jena, Germany]

Campanulaceae

- 173 0 ***Adenophora pereskiifolia*** (Fisch. Ex Schult.) G.Don
XX-0-TEBLI-00159 [ex BG Vácrátót, Hungary]
- 174 0 ***Campanula alpestris*** All.
XX-0-TEBLI-01610 [ex BG Olomouc, Czech Republic]
- 175 0 ***Campanula alpina*** Jacq.
XX-0-TEBLI-01611 [ex BG Vienna Belvedere, Austria]

- 176 0 ***Campanula bayerniana*** Rupr.
XX-0-TEBLI-00165 [ex BG Bielefeld, Germany]
- 177 0 ***Campanula bayerniana*** Rupr.
XX-0-TEBLI-01984 [ex Gatineau, Canada]
- 178 0 ***Campanula carpatica*** Jacq.
XX-0-TEBLI-02256 [ex BG Izhevsk, Russia]
- 179 0 ***Campanula cervicaria*** L.
DE-0-UNKAR-2011-4976
loc. Germany [ex BG Karlsruhe, Germany]
- 180 0 ***Campanula collina*** Sims
XX-0-REYK-1993/007 [ex BG Reykjavík, Iceland]
- 181 0 ***Campanula dolomitica*** E.A.Busch
XX-0-TEBLI-00849 [ex BG Tartu, Estonia]
- 182 0 ***Campanula hofmannii*** (Pantan.) Greuter & Burdet
BA-0-DR-001855
loc. Bosnia and Herzegovin [ex BG TU Dresden, Germany]
- 183 0 ***Campanula latifolia*** L. '**Alba**' [*Campanula latifolia* subsp. *latifolia* 'Alba']
XX-0-TEBLI-01846 [ex Pereny Hlavenec, Czech Republic]
- 184 0 ***Campanula mirabilis*** Albov
XX-0-TEBLI-01431 [ex BG Praha, Czech Republic]
- 185 0 ***Campanula petrophila*** Rupr.
XX-0-TEBLI-00653 [ex BG Nitra, Slovakia]
- 186 0 ***Campanula petrophila*** Rupr.
XX-0-TEBLI-01985 [ex BG Perm, Russia]
- 187 0 ***Campanula primulifolia*** Brot.
XX-0-TEBLI-02257 [ex BG Geneve, Switzerland]
- 188 0 ***Campanula raddeana*** Trautv.
XX-0-TEBLI-02258 [ex BG Barnaul, Russia]
- 189 0 ***Campanula raineri*** Perp.
XX-0-TEBLI-01015 [ex BG Bielefeld, Germany]
- 190 0 ***Campanula raineri*** Perp.
XX-0-TEBLI-01170 [ex BG Klaipéda, Lithuania]
- 191 0 ***Campanula rotundifolia*** L.
XX-0-TEBLI-00178 [ex BG Reykjavík, Iceland]
- 192 0 ***Campanula sarmatica*** Ker Gawl.
XX-0-TEBLI-02114 [ex BG Barnaul, Russia]
- 193 0 ***Campanula scheuchzeri*** Vill.
CH-0-STGAL-21128
loc. Switzerland, Weissbad, Wedhapfen, 940 m [15. 9. 2012]
[ex BG St. Gallen, Switzerland]
- 194 0 ***Campanula speciosa*** Pourr.
XX-0-TR-20083022 [ex BG Trento, Italy]

- 195 0 ***Jasione crispa*** (Pourr.) Samp.
XX-0-TEBLI-00188 [ex BG Aarhus, Denmark]
- 196 0 ***Jasione laevis*** Lam.
XX-0-TEBLI-01987 [ex BG Chemnitz, Germany]
- 197 0 ***Jasione laevis*** Lam.
XX-0-TEBLI-01848 [ex BG Šiauliai, Lithuania]
- 198 0 ***Lobelia siphilitica*** L.
XX-0-TEBLI-01173 [ex BG Linz, Austria]

Caprifoliaceae

- 199 0 ***Cephalaria gigantea*** (Ledeb.) Bobrov
XX-0-TEBLI-00194 [ex BG Krefeld, Germany]
- 200 0 ***Dipsacus strigosus*** Willd. ex Roem. & Schult.
CZ-0-TEBLI-02259
loc. Czech Republic, North Bohemia, Březno u Postolopr, 50.3590550°N,
13.7463006°E [coll. A. Frolíková, 19. 11. 2022]
- 201 0 ***Linnaea yunnanensis*** (Franch.) Christenh. [syn. *Dipelta ventricosa* Hemsl.]
XX-0-TEBLI-02260
- 202 0 ***Morina longifolia*** Wall. ex DC.
XX-0-DATH-5704 [ex BG Darmstadt, Germany]
- 203 0 ***Patrinia gibbosa*** Maxim.
XX-0-TEBLI-01482 [ex BG MU Brno, Czech Republic]
- 204 0 ***Pterocephalus perennis*** DC.
XX-0-TEBLI-00196 [ex BG Copenhagen, Denmark]
- 205 0 ***Scabiosa columbaria*** L.
XX-0-TEBLI-01620 [ex BG Konstanz, Germany]
- 206 0 ***Scabiosa japonica*** Miq.
XX-0-BRAUN-7435046 [ex BG Braunschweig, Germany]
- 207 0 ***Scabiosa japonica*** Miq.
XX-0-TEBLI-02261 [ex BG Bochum, Germany]
- 208 0 ***Scabiosa ochroleuca*** L.
CZ-0-TEBLI-01021
loc. Czech Republic, Central Bohemia, Beroun district, Koukolova hora
[coll. A. Frolíková, 12. 8. 2012]
- 209 0 ***Scabiosa ochroleuca*** L.
MK-0-TEBLI-02262
loc. Macedonia, Babuna, Treskavec [coll. A. Frolíková, 30. 7. 2015]

Caryophyllaceae

- 210 0 ***Cerastium candidissimum*** Correns
GR-0-B-2719389
loc. Greece, Sterea Ellas, Nomos Viotias, Parnass, 2100 m
[ex BG Berlin-Dahlem, Germany]
- 211 0 ***Dianthus andrzejowskianus*** Kulcz.
XX-0-TEBLI-01622 [ex BG Izhevsk, Russia]
- 212 0 ***Dianthus balbisii*** Ser.
XX-0-TEBLI-02263 [ex BG Pisa, Italy]
- 213 0 ***Dianthus carthusianorum*** L.
XX-0-FB-2398 [ex BG Freiburg, Germany]
- 214 0 ***Dianthus giganteiformis* subsp. *pontederae*** (A.Kern.) Soó
XX-0-TEBLI-01856 [ex BG Průhonice, Czech Republic]
- 215 0 ***Dianthus guliae*** Janka
XX-0-TEBLI-02264 [ex BG S. Eufemia, Italy]
- 216 0 ***Dianthus henteri*** Heuff. ex Griseb. & Schenk
RO-0-CLA-3040
loc. Romania, Retezat Mountains, 45°22 N, 22°33 E, 1400 m
[coll. G. Groza, 2000] [ex BG Cluj-Napoca, Romania]
- 217 0 ***Dianthus knappii*** Asch. ex Nyman
XX-0-DATH-5814 [ex BG Darmstadt, Germany]
- 218 0 ***Dianthus knappii*** Asch. ex Nyman
XX-0-HAL-5599 [ex BG Halle, Germany]
- 219 0 ***Dianthus pyrenaicus*** Pourr.
XX-0-TEBLI-01181 [ex BG Cluj-Napoca, Romania]
- 220 0 ***Dianthus ruprechtii*** Schischk. ex Grossh.
XX-0-TEBLI-01993 [ex BG Šiauliai, Lithuania]
- 221 0 ***Dianthus sternbergii*** Sieber ex Capelli
XX-0-TEBLI-01630 [ex BG Jibou, Romania]
- 222 0 ***Dianthus tergestinus*** Simonk.
XX-0-TEBLI-01860 [ex BG Barnaul, Russia]
- 223 0 ***Dianthus uralensis*** Korsh.
XX-0-TEBLI-02265 [ex BG Linz, Austria]
- 224 0 ***Dianthus webbianus*** Parl. ex Vis. [syn. *Dianthus erinaceus* Boiss.]
XX-0-TEBLI-01027 [ex BG Bormio, Italy]
- 225 0 ***Gypsophila libanotica*** Boiss.
XX-0-TEBLI-01632 [ex BG Łódź, Poland]
- 226 0 ***Gypsophila pacifica*** Komarov
XX-0-TEBLI-01434 [ex BG MZLU Brno, Czech Republic]
- 227 0 ***Saponaria calabrica*** Guss.
XX-0-DR-002075 [ex BG TU Dresden, Germany]

- 228 0 ***Silene armeria*** L.
XX-0-TEBLI-00241 [ex BG Siena, Italy]
- 229 0 ***Silene atropurpurea*** (Griseb.) Greuter & Burdet
XX-0-ULM-1992-F-118 [ex BG Ulm, Germany]
- 230 0 ***Silene caramanica*** Boiss. & Heldr.
XX-0-JENA-7291710 [ex BG Jena, Germany]
- 231 0 ***Silene caroliniana* subsp. *wherryi*** (Small) R.T. Clausen
XX-0-TEBLI-01635 [ex Jelitto, Germany]
- 232 0 ***Silene coronaria*** (Desr.) Clairv. ex Rchb. '**Alba**'
XX-0-TEBLI-01188 [ex BG Milano, Italy]
- 233 0 ***Silene dinarica*** Spreng.
XX-0-TEBLI-00665 [ex BG St. Andrews, UK]
- 234 0 ***Silene dioica*** (L.) Clairv.
CZ-0-TEBLI-02266
loc. Czech Republic, South Bohemia, Libínské Sedlo, 48.9692928°N,
14.0048178°E [coll. A. Frolíková, 15. 8. 2022]
- 235 0 ***Silene flos-jovis*** (L.) Greuter & Burdet '**Nana**'
[syn. *Lychnis flos-jovis* (L.) Desr. 'Nana']
XX-0-TEBLI-00857 [ex BG Debrecen, Hungary]
- 236 0 ***Silene chalcedonica*** (L.) E.H.L.Krause [syn. *Lychnis chalcedonica* L.]
XX-0-TEBLI-01189 [ex BG Linz, Austria]
- 237 0 ***Silene chungtienensis*** W.W. Sm.
CN-TEBLI-00667
loc. China, Yunnan Province, Zhongdian Plateau, 3659 m
[ex BG Marburg, Germany]
- 238 0 ***Silene lerchenfeldiana*** Baumg.
XX-0-TEBLI-01310 [ex BG Reykjavík, Iceland]
- 239 0 ***Silene saxifraga*** L. [syn. *Silene petraea* Waldst. & Kit.]
XX-0-TEBLI-00246 [ex BG Vienna Belvedere, Austria]
- 240 0 ***Silene viscaria*** Jess.
XX-0-TEBLI-02267 [ex BG Schellerhau, Germany]

Cistaceae

- 241 0 ***Cistus laurifolius*** L.
XX-0-TEBLI-02120 [ex BG MZLU Brno, Czech Republic]

Clethraceae

- 242 0 ***Clethra acuminata*** Michx.
US-0-TEBLI-02268
loc. USA, West Wirginia, Nicholas Co. [ex A Newark, USA]

Crassulaceae

- 243 O ***Phedimus kamtschaticus*** (Fisch. & C.A.Mey.) 't Hart
[syn. *Sedum kamtschaticum* Fisch. & C.A.Mey]
XX-0-HOH-SYS-2334 [ex BG Stuttgart-Hohenheim, Germany]

Cucurbitaceae

- 244 O ***Ecballium elaterium*** (L.) A.Rich
XX-0-TEBLI-02269 [ex BG Wroclaw, Poland]

Dioscoreaceae

- 245 G ***Dioscorea polystachya*** Turcz.
XX-0-TEBLI-01495 [ex BG Düsseldorf, Germany]
- 246 G ***Dioscorea sansibarensis*** Pax
XX-0-TEBLI-02270 [ex BG Konstanz, Germany]

Ericaceae

- 247 O ***Gaultheria shallon*** Pursh
XX-0-TEBLI-02271
- 248 O ***Kalmia polifolia*** Wangenh.
XX-0-TEBLI-02272 [ex BGA Průhonice, Czech Republic]
- 249 O ***Kalmia polifolia*** Wangenh. '**Compacta**'
XX-0-TEBLI-02273 [ex BGA Průhonice, Czech Republic]
- 250 O ***Lyonia ligustrina*** (L.) DC.
XX-0-TEBLI-01649 [ex BG Warszawa, Poland]
- 251 O ***Oxydendrum arboreum*** (L.) DC.
XX-0-TEBLI-02274
- 252 G ***Sphyrospermum buxifolium*** Poepp. & Endl.
XX-0-TEBLI-00860 [ex BG New York - Bronx Park, USA]
- 253 G ***Sphyrospermum cordifolium*** Benth.
XX-0-TEBLI-00861 [ex BG New York - Bronx Park, USA]
- 254 G ***Sphyrospermum ellipticum*** Sleumer
EC-0-TEBLI-01193
loc. Ecuador [ex BG Praha, Czech Republic]
- 255 O ***Zenobia pulverulenta*** (W.Bartram ex Willd.) Pollard
XX-0-TEBLI-02275

Fabaceae

- 256 O ***Astragalus mongholicus*** Bunge
XX-0-TEBLI-01653 [ex Jelitto, Germany]

- 257 G ***Cajanus cajan*** (L.) Huth
CN-0-BONN-24329
loc. China [ex BG Bonn, Germany]
- 258 O ***Colutea persica*** Boiss.
XX-0-TEBLI-02122 [ex BG Izmir, Turkey]
- 259 G ***Dichrostachys cinerea*** (L.) Wight & Arn.
XX-0-TEBLI-01867
loc. Cuba, Granma, Río Cauta [coll. Baßler]
[ex BG Berlin-Dahlem, Germany]
- 260 O ***Lupinus nanus*** Douglas ex Benth. '**Pixie Delight**'
XX-0-TEBLI-02276 [ex BG Cluj-Napoca, Romania]
- 261 O ***Lupinus perennis*** L. '**Gallery Mix**'
XX-0-TEBLI-02277 [ex Jelitto, Germany]
- 262 O ***Ononis fruticosa*** L.
XX-0-BGAT-0004606 [ex BG Vienna Belvedere, Austria]
- 263 G ***Rhynchosia pyramidalis*** (Lam.) Urb.
XX-0-TEBLI-02278 [ex BG Magdeburg, Germany]
- 264 O ***Sophora davidii*** (Franch.) Pavol.
XX-0-GENT-20011234 [ex BG Gent, Belgium]
- 265 O ***Spartium junceum*** L.
XX-0-TEBLI-01869 [ex Jan Šmíd, Czech Republic]

Gentianaceae

- 266 O ***Gentiana capitata*** Buch.-Ham. ex D. Don [syn. *Gentiana andersonii* C.B. Clarke]
XX-0-TEBLI-01659
[ex BG St. Andrews, UK]
- 267 O ***Gentiana gelida*** M. Bieb.
XX-0-TEBLI-00274 [ex BG Nantes, France]
- 268 O ***Gentiana macrophylla*** Pall.
XX-0-TEBLI-02000 [ex BG Vienna Belvedere, Austria]
- 269 O ***Gentiana nubigena*** Edgew.
XX-0-IB-010225 [ex BG Innsbruck, Austria]
- 270 O ***Gentiana scabra*** Bunge
XX-0-TEBLI-00862 [ex BG Klagenfurt, Austria]
- 271 O ***Gentiana siphonantha*** Maxim. ex Kusn.
CN-0-M-1993/2566
loc. China, Sichuan Province, Mt. Emei and Jiuzhaigou County, 2700 m
[ex BG München, Germany]
- 272 O ***Gentiana tianschanica*** Rupr. ex Kusn.
XX-0-TEBLI-00281 [ex BG Jena, Germany]
- 273 O ***Gentiana vernayi*** C. Marquand [syn. *Gentiana bhutanica* Grubov]
XX-0-TEBLI-00285 [ex BG Copenhagen, Denmark]

- 274 O ***Gentiana walujewii*** Regel & Schmalh.
[syn. *Gentiana walujewii* var. *kesselringii* Kusn.]
XX-0-TEBLI-00286 [ex BG Klagenfurt, Austria]

Gesneriaceae

*limited amount

- 275 G ***Achimenes admirabilis*** Wiehler*
XX-0-TEBLI-02278 [ex BG Praha, Czech Republic]
- 276 G ***Achimenes 'Dale Martens'****
XX-0-TEBLI-02279 [ex BG Praha, Czech Republic]
- 277 G ***Achimenes 'Dentoniana'****
XX-0-TEBLI-02280 [ex BG Praha, Czech Republic]
- 278 G ***Achimenes 'Double Picotee Rose'****
XX-0-TEBLI-02281 [ex BG Praha, Czech Republic]
- 279 G ***Achimenes erecta*** (Lam.) H.P.Fuchs*
XX-0-TEBLI-02282 [ex BG Praha, Czech Republic]
- 280 G ***Achimenes 'Harveyi'****
XX-0-TEBLI-02283 [ex BG Praha, Czech Republic]
- 281 G ***Achimenes 'Jewel Pink'****
XX-0-TEBLI-02284 [ex BG Praha, Czech Republic]
- 282 G ***Achimenes 'Robert Dressler'****
XX-0-TEBLI-02285 [ex BG Praha, Czech Republic]
- 283 G ***Codonanthe devosiana*** Lem.
XX-0-TEBLI-02286 [ex BG Bonn, Germany]
- 284 G ***Eucodonia verticillata*** (M.Martens & Galeotti) Wiehler **'Frances'**
XX-0-TEBLI-02287 [ex BG Praha, Czech Republic]
- 285 G ***Rhytidophyllum* sp.**
CU-0-TEBLI-02288
loc. Cuba, Hanabanila, coll. number 10CU-02-10 [coll. E. Smržová, 18. 2. 2010]
[ex BG Praha, Czech Republic]

Hypericaceae

- 286 O ***Hypericum androsaemum*** L.
IT-0-TEBLI-02003
loc. Italy, Lucca, Apuan Alps [ex BG Parma, Italy]
- 287 O ***Hypericum kalmianum*** L.
XX-0-FRP-7156 [ex BG Frankfurt-Palmengarten, Germany]
- 288 O ***Hypericum kouytchense*** H.Lév
XX-0-TEBLI-02289
- 289 O ***Hypericum olympicum*** L.
XX-0-TEBLI-02290 [ex BG Budakalász, Hungary]

290 0 ***Hypericum polyphyllum*** Boiss. & Balansa
XX-0-BGAT-0004837 [ex BG Vienna Belvedere, Austria]

Lamiaceae

- 291 0 ***Ballota acetabulosa*** (L.) Benth.
GR-0-TEBLI-01203
loc. Greece [ex MNHN Paris, France]
- 292 0 ***Callicarpa dichotoma*** (Lour.) K.Koch '**Shirobana**'
XX-0-TEBLI-01038 [ex BG Praha, Czech Republic]
- 293 0 ***Cedronella canariensis*** (L.) Webb & Berthel.
ES-0-KIEL-1985 2675 - 70 - 100
loc. Spain [ex BG Kiel, Germany]
- 294 0 ***Clerodendrum trichotomum* var. *fargesii*** (Dode) Rehder
XX-0-TEBLI-01664
- 295 0 ***Dracocephalum moldavica* L. var. *album***
XX-0-TEBLI-02005 [ex BG LF MU Brno, Czech Republic]
- 296 0 ***Dracocephalum renati*** Emb.
XX-0-BRNU-2017-04134 [ex BG MU Brno, Czech Republic]
- 297 0 ***Dracocephalum tanguticum*** Maxim.
XX-0-TEBLI-02127 [ex BG Bormio, Italy]
- 298 0 ***Melissa officinalis* L. '**Mandarina**'**
XX-0-TEBLI-02291 [ex Jean-Luc Gatard, France]
- 299 0 ***Mentha xpiperita* L. '**Erdbeerminze**'**
[syn. *Mentha xpiperita* var. *citrata* (Ehrh.) Briq. 'Erdbeerminze']
XX-0-TEBLI-02292 [ex Zahr. Krulichovi, Czech Republic]
- 300 0 ***Monarda media*** Willd.
XX-0-TEBLI-00690 [ex BG Praha, Czech Republic]
- 301 0 ***Monarda russeliana*** Nutt.
XX-0-TEBLI-00692
- 302 0 ***Ocimum basilicum* L. '**Thai**'**
XX-0-TEBLI-02293 [ex Seva Moravia, Czech Republic]
- 303 0 ***Origanum vulgare* L. '**Golden Shine**'**
XX-0-TEBLI-02294 [ex Pereny Hlavenec, Czech Republic]
- 304 0 ***Origanum vulgare* L. '**Hot and Spicy**'**
XX-0-TEBLI-02129 [ex BG Praha, Czech Republic]
- 305 0 ***Phlomis russeliana*** (Sims) Lag. ex Benth.
XX-0-LZ-S-73-2013 [ex BG Leipzig, Germany]
- 306 0 ***Phlomoides macrophylla*** (Wall.) Kamelin & Makhm.
[syn. *Phlomis macrophylla* Wall.]
XX-0-TEBLI-02295
- 307 0 ***Phlomoides tuberosa*** (L.) Moench [syn. *Phlomis tuberosa* L.]
XX-0-TEBLI-01673

- 308 0 ***Physostegia virginiana*** Benth. '**Bouquet Rose**'
XX-0-TEBLI-02296
- 309 0 ***Salvia atropatana*** Bunge
XX-0-GENT-20132374 [ex BG Gent, Belgium]
- 310 0 ***Salvia bucharica*** Popov
XX-0-TEBLI-02010 [ex BG Nantes, France]
- 311 0 ***Salvia dumetorum*** Andrz. ex Besser [syn. *Salvia stepposa* Des.-Shost.]
XX-0-TEBLI-02011
- 312 0 ***Salvia hispanica*** L.
XX-0-TEBLI-01675 [ex BG Marburg, Germany]
- 313 0 ***Salvia pratensis*** L. '**Ballet Sweet Esmeralda**'
XX-0-TEBLI-01325 [ex Jelitto, Germany]
- 314 0 ***Salvia sclarea*** L.
XX-0-TEBLI-00333
- 315 0 ***Satureja hortensis*** L.
XX-0-TEBLI-02297 [ex BG Wroclaw, Poland]
- 316 0 ***Satureja montana*** L. '**Citriodora**'
HR-0-GZU-00 500098
loc. Croatia, Krk, limestone mountains behind Bunculuka [leg. N. Posch]
[ex BG Graz, Austria]
- 317 0 ***Scutellaria alpina*** L.
XX-0-TEBLI-02134 [ex BG Riga, Lithuania]
- 318 0 ***Scutellaria incana*** Spreng.
XX-0-GENT-19802324 [ex BG Gent, Belgium]
- 319 0 ***Scutellaria zhongdianensis*** auct.
XX-0-TEBLI-00340 [ex BG TU Dresden, Germany]
- 320 0 ***Sideritis hyssopifolia*** L.
XX-0-TEBLI-01686 [ex BG LF MU Brno, Czech Republic]
- 321 0 ***Stachys macrantha*** (K.Koch) Stearn
XX-0-TEBLI-02298

Linaceae

- 322 0 ***Linum altaicum*** Ledeb. ex Juz.
XX-0-KIEL-1989-5965-70-10 [ex BG Kiel, Germany]
- 323 0 ***Linum campanulatum*** L.
XX-0-TEBLI-02082 [ex BG Saint Petersburg, Russia]
- 324 0 ***Linum tauricum*** Willd.
XX-0-BGAT-0002188 [ex BG Vienna Belvedere, Austria]

Loasaceae

- 325 O ***Caiophora cirsiifolia*** C.Presl
PE-O-BONN-33611
loc. Peru, Dep. Arequipa, Prov. Condesuyos, road from Aplao (Castillo) to Chuquibamba, iraqy, 5.5 km from Chuquibamba, dry stone walls and fallow field between cultivated areas, 2497 m, 15°50'59.29''S, 72°37'47.17''W
[coll: 20. 7. 2010]
[ex BG Bonn, Germany]

Lythraceae

- 326 G ***Punica granatum*** L.
XX-O-TEBLI-02299 [ex BG Nyíregyháza, Hungary]

Malvaceae

- 327 G ***Abroma augusta*** (L.) L.f.
XX-O-TEBLI-00350 [ex Sunshine Seeds, Germany]
- 328 O ***Alcea froloviana*** (Litw.) Ijgin
XX-O-TEBLI-02013 [ex BG Izhevsk, Russia]
- 329 O ***Alcea rosea*** L. '**Sunshine**'
XX-O-TEBLI-01893 [ex Pereny Hlavenec, Czech Republic]
- 330 G ***Gossypium herbaceum*** L.
XX-O-TEBLI-02015 [ex BG Padova, Italy]
- 331 G ***Hibiscus calyphyllus*** Cav.
XX-O-TEBLI-00705
- 332 O ***Hibiscus moscheutos*** L. [*Hibiscus palustris* L.]
US-O-DR-013008
loc. USA [ex BG TU Dresden, Germany]
- 333 O ***Hibiscus moscheutos*** L. [*Hibiscus palustris* L.]
US-O-TEBLI-02300
loc. USA, Michigan, Monroe Co. [ex BG East Lansing, USA]
- 334 G ***Hibiscus pedunculatus*** L. f.
XX-O-TEBLI-00708 [ex BG Berlin-Dahlem, Germany]
- 335 O ***Lavatera trimestris*** L. '**Silver Cup**'
XX-O-TEBLI-02301 [ex BG Kursk, Russia]
- 336 O ***Lavatera trimestris*** L. '**Tanagria**'
XX-O-TEBLI-02017 [ex BG Krefeld, Germany]
- 337 O ***Malva thuringiaca*** Vis. [syn. *Lavatera thuringiaca* L.]
CZ-O-TEBLI-02302
loc. Czech Republic, South Bohemia, surroundings of Archeopark Pavlov, 48.8774653°N, 16.6748047°E [coll. A. Frolíková, 13. 7. 2022]
- 338 O ***Palaua trisepala*** Hochr.
PE-O-LZ-ZG-13-2008
loc. Peru [ex BG Leipzig, Germany]

- 339 G ***Pentapetes phoenicea*** L.
XX-0-STUTZ-002754 [ex ZBG Stuttgart-Wilhelma, Germany]
- 340 O ***Sidalcea oregana*** (Nutt. Ex Torr. & A. Gray) A. Gray
XX-0-TEBLI-02137 [ex BG Saint Petersburg, Russia]

Melastomataceae

- 341 G ***Bertolonia marmorata*** (Naudin) Naudin
BR-0-NCT-19943655W2014655
loc. Brazil, Bahia, Sao José [ex BG Postdam, Germany]
- 342 G ***Medinilla loranthoides*** Naudin
XX-0-TEBLI-02303
- 343 G ***Medinilla myrmecorhiza*** Regalado
ID-0-TEBLI-02138
loc. Borneo [ex ZBG Plzeň via BG Praha, Czech Republic]
- 344 G ***Medinilla succulenta*** Korth. ex Blume
ID-0-TEBLI-02139
loc. Borneo, Sarawak [ex BG Frankfurt, Germany via BG Praha, Czech Republic]

Meliaceae

- 345 G ***Turraea heterophylla*** Sm.
XX-0-TEBLI-02018 [ex BG Kiel, Germany]

Montiaceae

- 346 O ***Montiopsis umbellata*** (Ruiz & Pav.) D.I.Ford
XX-0-HOH-SYS-4700 [ex BG Stuttgart-Hohenheim, Germany]

Myricaceae

- 347 O ***Myrica gale*** L.
XX-0-TEBLI-01903 [ex BG Bordeaux, France]
- 348 O ***Myrica pensylvanica*** Mirb.
XX-0-LZ-ZF-979-1996 [ex BG Leipzig, Germany]

Nitrariaceae

- 349 O ***Peganum harmala*** L.
XX-0-TEBLI-02304 [ex BG LF MU Brno, Czech Republic]

Oleaceae

- 350 O ***Syringa reticulata* subsp. *pekinensis*** (Rupr.) P.S.Green & M.C.Chang
XX-0-TEBLI-02305

Onagraceae

- 351 0 ***Clarkia tenella*** (Cav.) F.H.Lewis & M.E.Lewis
XX-O-TEBLI-02306 [ex Chileflora, Chile]
- 352 0 ***Clarkia unguiculata*** Lindl.
XX-O-TEBLI-02307 [ex BG Bayreuth, Germany]
- 353 0 ***Oenothera speciosa*** Nutt.
XX-O-TEBLI-02308 [ex BG Krefeld, Germany]
- 354 0 ***Oenothera versicolor*** Lehm.
XX-O-TEBLI-01904 [ex BG Pécs, Hungary]

Paeoniaceae

- 355 0 ***Paeonia daurica* subsp. *macrophylla*** (Albov) D.Y.Hong
XX-O-TEBLI-02309 [ex BG Petrozavodsk, Russia]
- 356 0 ***Paeonia decomposita*** Hand.-Mazz
XX-O-TEBLI-01707 [ex Chen Yi Nursery, China]
- 357 0 ***Paeonia lactiflora*** Pall.
XX-O-TEBLI-02310 [ex BG Vladivostok, Russia]
- 358 0 ***Paeonia ludlowii*** (Stern & G.Taylor) D.Y.Hong
XX-O-TEBLI-02311 [ex BG Weinheim, Germany]
- 359 0 ***Paeonia mascula*** (L.) Mill.
XX-O-TEBLI-02137 [ex BG AV Průhonice, Czech Republic]
- 360 0 ***Paeonia officinalis* subsp. *microcarpa*** Nyman
XX-O-GENT-20000239 [ex BG Gent, Belgium]
- 361 0 ***Paeonia ostii*** T.Hong & J.X.Zhang
XX-O-TEBLI-02312 [ex Chen Yi Nursery, China]
- 362 0 ***Paeonia peregrina*** Mill.
RO-O-IAGBXXX8895Z
loc. Romania [ex BG Iași, Romania]
- 363 0 ***Paeonia suffruticosa* var. *papaveracea*** (Andrews) A.Kern.
XX-O-TEBLI-01334 [ex Kaichen Nursery, China]

Papaveraceae

- 364 0 ***Argemone hunnemanni*** Otto & Dietr.
CL-O-TEBLI-01136
loc. Chile, Atacama Region, Huasco Province, El Pino near Freirina
[coll. J. R. Haager & H. Šedivá, 2015]
- 365 0 ***Argemone rosea*** Hook.
CL-O-TEBLI-01219
loc. Chile, Coquimbo Region, Elqui Province, 100th km from Vicuña to Paso de
Agua Negra [coll. J. R. Haager & H. Šedivá, 2015]
- 366 0 ***Glaucium corniculatum*** (L.) Curtis
XX-O-TEBLI-01710 [ex BG MU Brno, Czech Republic]

- 367 0 ***Papaver alpinum*** L.
XX-0-TEBLI-01220 [ex BG Bormio, Italy]
- 368 0 ***Papaver atlanticum*** Coss.
XX-0-TEBLI-00720 [ex BG Cambridge, UK]
- 369 0 ***Papaver orientale*** L. '**Blood Red**'
XX-0-TEBLI-01905
- 370 0 ***Papaver orientale*** L. '**Bordes Beauty**'
XX-0-TEBLI-01714
- 371 0 ***Papaver orientale*** L. '**Feuerriese**'
XX-0-ZAVRT-4413 [ex BG Zagreb, Croatia]
- 372 0 ***Papaver orientale*** L. '**Plena Rote Tone**'
XX-0-TEBLI-02143 [ex Jelitto, Germany]
- 373 0 ***Papaver orientale*** L. '**Princess Elisabeth**'
XX-0-TEBLI-01907
- 374 0 ***Papaver orientale*** L. '**Scharlachkönigin**'
XX-0-TEBLI-02144 [ex BG Kaunas, Lithuania]
- 375 0 ***Papaver triniifolium*** Boiss.
XX-0-TEBLI-01715 [ex BG Perm, Russia]

Passifloraceae

- 376 G ***Passiflora calcarata*** Mast.
MG-0-TEBLI-00372
loc. Madagascar, Antananarivo Province, Ibity Massif, Mt. Ibity
[ex BG Praha, Czech Republic]

Phrymaceae

- 377 0 ***Erythranthe lutea*** (L.) G.L.Nesom [syn. *Mimulus luteus* L.]
CL-0-TEBLI-02313
loc. Chile, Biobío Region, Concepción Province, Concepción, Mirador Bio Bio,
Puente Cementarios [coll. J. R. Haager & H. Šedivá, 2015]

Plantaginaceae

- 378 0 ***Digitalis purpurea*** L.
CZ-0-TEBLI-02314
loc. Czech Republic, North Bohemia, Krupka, base of Komáří hůrka,
50.7059317°N, 13.8432142°E [coll. A. Frolíková, 7. 8. 2022]
- 379 0 ***Erinus alpinus*** L. '**Mrs Charles Boyle**'
XX-0-TEBLI-00886 [ex BG Vienna Belvedere, Austria]
- 380 0 ***Globularia cordifolia*** L.
XX-0-TEBLI-01912 [ex BG Warszawa, Poland]
- 381 0 ***Globularia meridionalis*** (Podp.) O.Schwarz
XX-0-TEBLI-02315 [ex BG LF MU Brno, Czech Republic]

- 382 0 ***Globularia punctata*** Lapeyr.
XX-0-ROST-2003-F-2762 [ex BG Rostock, Germany]
- 383 0 ***Globularia punctata*** Lapeyr.
XX-0-TEBLI-01060 [ex BG Ljubljana, Slovenia]
- 384 0 ***Globularia trichosantha*** Fisch & C.A. Mey.
XX-0-TEBLI-00887 [ex BG Chemnitz, Germany]
- 385 0 ***Globularia trichosantha*** Fisch & C.A. Mey.
XX-0-TEBLI-01720 [ex BG Praha, Czech Republic]
- 386 0 ***Globularia vulgaris*** L.
XX-0-TEBLI-01914 [ex BG Marburg, Germany]
- 387 G ***Lophospermum purpusii*** (Brandege) Rothm. '**Victoria Falls**'
[syn. *Asarina purpusii* (Brandege) Pennell 'Victoria Falls']
XX-0-TEBLI-02316 [ex Koexflor, Czech Republic]
- 388 0 ***Penstemon glaber* var. *alpinus*** (Torr.) A. Gray
[syn. *Penstemon alpinus* Torr.]
XX-0-TEBLI-02025 [ex BG Krakow, Poland]
- 389 0 ***Penstemon glaber* var. *alpinus*** (Torr.) A. Gray
[syn. *Penstemon alpinus* Torr.]
US-0-HAL-1992
loc. USA, Colorado, Jefferson County, 2300 m
[ex BG Utrecht, Netherlands]
- 390 0 ***Penstemon azureus*** Benth.
[syn. *Penstemon heterophyllus* var. *azureus* (Benth.) Jeps.]
XX-0-BONN-9371 [ex BG Bonn, Germany]
- 391 0 ***Penstemon campanulatus*** (Cav.) Willd.
XX-HOH-SYS-5693 [ex BG Stuttgart-Hohenheim, Germany]
- 392 0 ***Penstemon clevelandii* var. *connatus*** Munz & I.M.Johnst.
XX-0-TEBLI-02317 [ex Alplains, USA]
- 393 0 ***Penstemon glaber* var. *alpinus*** (Torr.) A. Gray
[syn. *Penstemon alpinus* Torr.]
XX-0-TEBLI-00405 [ex BG Oslo, Norway]
- 394 0 ***Penstemon gracilis*** Nutt.
XX-0-LZ-A-43-2010 [ex BG Leipzig, Germany]
- 395 0 ***Penstemon heterodoxus*** A. Gray
XX-0-TEBLI-02149 [ex BG Bratislava, Slovakia]
- 396 0 ***Penstemon hirsutus*** (L.) Willd.
XX-0-TEBLI-00409 [ex BG East Lansing, USA]
- 397 0 ***Penstemon lyallii*** (A.Gray) A.Gray
XX-0-TEBLI-02318 [ex BG Petrozavodsk, Russia]
- 398 0 ***Penstemon menziesii* subsp. *davidsonii*** (Greene) Piper
XX-0-TEBLI-00401 [ex Gatineau, Canada]
- 399 0 ***Penstemon nanus*** D.D.Keck
XX-0-TEBLI-01461 [ex BG Šiauliai, Lithuania]

- 400 O ***Penstemon newberryi* var. *berryi*** (Eastw.) N. H. Holmgren
[syn. *Penstemon newberryi* subsp. *berryi* (Eastw.) D. D. Keck]
US-0-M-2008/1051
loc. USA, Oregon, Siskiyou Mtns., 1.3 miles E of Bolan Lakes Junction, 1700 m,
42°12.2 N, 123°27.329 W
[ex BG München, Germany]
- 401 O ***Penstemon nitidus*** Douglas ex Benth.
XX-0-REYK-2014/017 [ex BG Reykjavík, Iceland]
- 402 O ***Penstemon richardsonii*** Douglas
XX-0-TEBLI-00415 [ex BG Glasgow, UK]
- 403 O ***Penstemon serrulatus*** Menzies ex Sm.
CA-0-REYK-2016/001
loc. Canada, British Columbia, Lillioet Lake [ex BG Reykjavík, Iceland]
- 404 O ***Penstemon serrulatus*** Menzies ex Sm.
XX-0-Z-20000085 [ex BG Zürich, Switzerland]
- 405 O ***Penstemon utahensis*** Eastw.
XX-0-TEBLI-02151 [ex BG Antwerpen, Belgium]
- 406 O ***Penstemon utahensis*** Eastw.
XX-0-TEBLI-02319 [ex BG Bielefeld, Germany]
- 407 O ***Penstemon wilcoxii*** Rydb.
XX-0-TEBLI-00417
- 408 O ***Penstemon wilcoxii*** Rydb.
XX-0-TEBLI-02320 [ex BG Bielefeld, Germany]
- 409 G ***Tetranema roseum*** (M.Martens & Galeotti) Standl. & Steyerm.
XX-0-TEBLI-02321 [ex BG Besançon, France]
- 410 O ***Veronica austriaca* subsp. *teucrium*** (L.) D.A.Webb
XX-0-TEBLI-01723
- 411 O ***Veronica longifolia*** L. [syn. *Pseudolysimachion longifolium* (L.) Opiz]
XX-0-TEBLI-02153 [ex BG Volgograd, Russia]
- 412 O ***Veronica longifolia*** L. [syn. *Pseudolysimachion longifolium* (L.) Opiz]
XX-0-TEBLI-02322 [ex BG CharlesUni Prague, Czech Republic]
- 413 O ***Veronica orientalis*** Mill.
XX-0-TEBLI-01464 [ex BG Lublin, Poland]
- 414 O ***Veronicastrum virginicum*** (L.) Farw.
XX-0-TEBLI-02323 [ex BG Michigan, USA]
- 415 O ***Veronicastrum virginicum*** (L.) Farw. '**Fascination**'
XX-0-TEBLI-02154 [ex Zám. zahr. Ctěnice, Czech Republic]

Plumbaginaceae

- 416 O ***Armeria alpina*** (DC.) Willd.
XX-0-TEBLI-01465 [ex BG Košice, Slovakia]

- 417 0 ***Armeria arenaria*** (Pers.) Schult.
FR-0-GIESS-1998-J-1023-1
loc. France [ex BG Giessen, Germany]
- 418 0 ***Armeria cariensis*** Boiss.
XX-0-TEBLI-01728 [ex BG Cluj-Napoca, Romania]
- 419 0 ***Armeria curvifolia*** Bertero
AR-0-M-2002/0912
loc. Argentina, Santa Cruz Province, Argentino Lake, El Calafate, Peninsula
Magellanes, S 50°29'09"S, W 72°53'09"
[ex BG Klagenfurt, Austria]
- 420 0 ***Armeria maritima*** (Mill.) Willd.
XX-0-TEBLI-02324 [ex Chileflora, Chile]
- 421 0 ***Armeria maritima* subsp. *elongata*** (Hoffm.) Bonnier
CZ-0-PLZEN-1898-12-10
loc. Czech Republic, South Moravia, Bzenec [coll. 29. 8. 2012]
[ex ZBG Plzeň, Czech Republic]
- 422 0 ***Armeria maritima* subsp. *sibirica*** (Turcz. ex Boiss.) Nyman
XX-0-TEBLI-00895 [ex BG Vilnius, Lithuania]
- 423 0 ***Armeria pinifolia*** (Brot.) Hoffmanns. & Link
XX-0-TEBLI-00897 [ex BG Vácrátót, Hungary]
- 424 0 ***Armeria rhodopea*** Velen.
XX-0-TEBLI-01730 [ex BG Dublin, Ireland]
- 425 0 ***Armeria ruscinonensis*** Girard
XX-0-TEBLI-00898 [ex BG Klaipėda, Lithuania]
- 426 0 ***Armeria splendens*** (Lag. & Rodr.) Webb
XX-0-TEBLI-00899 [ex BG Kaunas, Lithuania]
- 427 0 ***Armeria splendens*** (Lag. & Rodr.) Webb
XX-0-TEBLI-01226 [ex BG Bormio, Italy]
- 428 0 ***Armeria transmontana*** (Samp.) G.H.M.Lawr.
XX-0-TEBLI-00900 [ex BG Krefeld, Germany]
- 429 0 ***Armeria welwitschii*** Boiss.
XX-0-B-1982099
[ex BG Berlin-Dahlem, Germany]
- 430 0 ***Bukiniczia cabulica*** (Boiss.) Lincz.
XX-0-TEBLI-01344 [ex BG Oxford, UK]
- 431 0 ***Limonium minutum*** (L.) Fourn.
XX-0-U-1984BL00199 [ex BG Utrecht, Netherlands]

Polemoniaceae

- 432 0 ***Polemonium pulcherrimum*** Hook
XX-0-STGAL-61/2010 [ex BG St. Gallen, Switzerland]

Polygonaceae

- 433 O ***Persicaria tinctoria*** (Aiton) H.Gross
XX-0-TEBLI-02033 [ex BG Bielefeld, Germany]
- 434 O ***Rumex flexuosus*** Sol. ex G.Forst.
XX-0-TEBLI-01072 [ex Jelitto, Germany]

Primulaceae

- 435 G ***Ardisia humilis*** Vahl
XX-0-TEBLI-01345
- 436 O ***Dodecatheon jeffreyi*** Van Houtte
XX-0-TEBLI-01347 [ex BG Vienna Belvedere, Austria]

Ranunculaceae

- 437 O ***Anemone caroliniana*** Walter
XX-0-TEBLI-02325 [ex BG Cluj-Napoca, Romania]
- 438 O ***Anemone multifida*** Poir.
XX-0-TEBLI-02159 [ex BG Bormio, Italy]
- 439 O ***Anemone rupicola*** Cambess.
XX-0-LZ-A-52-2002 [ex BG Leipzig, Germany]
- 440 O ***Anemone sylvestris*** L.
XX-0-TEBLI-02160 [ex BG Warszawa, Poland]
- 441 O ***Aquilegia alpina*** L.
XX-0-LZ-A-167-1996 [ex BG Leipzig, Germany]
- 442 O ***Aquilegia bernardii*** Gren. & Gord.
XX-0-TEBLI-00451 [ex BG Akureyri, Iceland]
- 443 O ***Aquilegia bertolonii*** Schott
XX-0-TEBLI-01924 [ex BG Jibou, Romania]
- 444 O ***Aquilegia bertolonii*** Schott
XX-0-TEBLI-01232 [ex BG Bormio, Italy]
- 445 O ***Aquilegia einseleana*** F.W.Schultz
XX-0-TEBLI-00455 [ex BG Regensburg, Germany]
- 446 O ***Aquilegia einseleana*** F.W.Schultz
XX-0-LZ-A-76-1997 [ex BG Leipzig, Germany]
- 447 O ***Aquilegia flabellata*** Siebold & Zucc.
[*Aquilegia flabellata* var. *pumila* (Huth) Kudô]
XX-0-TEBLI-00456 [ex BG Halle, Germany]
- 448 O ***Aquilegia flavescens*** S.Watson
XX-0-TEBLI-01350 [ex BG La Gacilly, France]
- 449 O ***Aquilegia grata*** Maly ex Zimmeter
XX-0-TEBLI-01925 [ex BG Bielefeld, Germany]

- 450 0 ***Aquilegia nevadensis*** Boiss. & Reut.
XX-0-LZ-A-74-2000 [ex BG Leipzig, Germany]
- 451 0 ***Clematis recta*** L. '**Grandiflora**'
XX-0-TEBLI-02326
- 452 0 ***Delphinium cashmerianum*** Royle
XX-0-TEBLI-01927
- 453 0 ***Delphinium caucasicum*** C.A.Mey
XX-0-TEBLI-01351 [ex BG Bormio, Italy]
- 454 0 ***Delphinium*** '**Pacific Giant Round Table**'
XX-0-TEBLI-02327 [ex Černý Seed s r.o., Czech Republic]
- 455 0 ***Glaucidium palmatum*** Siebold & Zucc.
XX-0-TEBLI-01352 [ex BG Schellerhau, Germany]
- 456 0 ***Nigella damascena*** L. '**Persian Jewels Group**'
XX-0-TEBLI-0168 [ex Černý Seed s r.o., Czech Republic]
- 457 0 ***Nigella papillosa*** G.López
XX-0-TEBLI-02038 [ex RHS Garden Wisley, UK]
- 458 0 ***Pulsatilla grandis*** Wend.
XX-0-BGAT-0006613 [ex BG Vienna Belvedere, Austria]
- 459 0 ***Pulsatilla vulgaris*** Mill. '**Papageno**'
XX-0-TEBLI-02328 [ex Jelitto, Germany]
- 460 0 ***Thalictrum rochebruneanum*** Franch. & Sav.
XX-0-TEBLI-02329

Rosaceae

- 461 0 ***Acaena inermis*** Hook.f. '**Purpurea**'
XX-0-TEBLI-02163 [ex Jelitto, Germany]
- 462 0 ***Acaena microphylla*** Hook.f.
XX-0-TEBLI-02330 [ex BG Chemnitz, Germany]
- 463 0 ***Acaena myriophylla*** Lindl.
DE-0-IAGB20094G [ex BG Iași, Romania]
- 464 0 ***Acaena myriophylla*** Lindl.
XX-0-TEBLI-02331 [ex BG Gatineau, Canada]
- 465 0 ***Alchemilla erythropoda*** Juz.
XX-0-TEBLI-01745 [ex Zahr. centrum Dvořák, Czech Republic]
- 466 0 ***Geum calthifolium*** Menzies ex Sm.
XX-0-TEBLI-01928 [ex BG Chemnitz, Germany]
- 467 0 ***Geum coccineum*** Sibth. & Sm. '**Orange Queen**'
XX-0-TEBLI-02040 [ex Pereny Hlavenec, Czech Republic]
- 468 0 ***Geum pyrenaicum*** Mill.
XX-0-TEBLI-00484 [ex BG Olomouc, Czech Republic]
- 469 0 ***Geum*** '**Scarlet Tempest**'
XX-0-TEBLI-02332 [ex BG Chemnitz, Germany]

- 470 0 ***Holodiscus discolor*** (Pursh) Maxim.
XX-0-TEBLI-00486
- 471 0 ***Chamaebatiaria millefolium*** (Torr.) Maxim.
XX-0-MJG-199412660 [ex BG Mainz, Germany]
- 472 0 ***Petrophytum caespitosum*** (Nutt.) Rydb.
XX-0-TEBLI-01077 [ex BG Linz, Austria]
- 473 0 ***Potentilla atrosanguinea*** G.Lodd. ex D.Don
IN-0-BR-19750451
loc. India, Garhwal, Valley of Flowers [ex BG Meise, Belgium]
- 474 0 ***Potentilla gracilis var. fastigiata*** (Nutt. ex Torr. & A.Gray) S.Watson
XX-0-TEBLI-02041 [ex BG Marburg, Germany]
- 475 0 ***Potentilla griffithii*** Hook. f.
XX-0-TEBLI-00489 [ex BG Besançon, France]
- 476 0 ***Potentilla nepalensis*** Hook.
PK-0-BR-2008123807
loc. Pakistan, North-West Frontier, Kaghan Valley, Shogran
[ex BG Meise, Belgium]
- 477 0 ***Potentilla nepalensis*** Hook.
XX-0-TEBLI-02166 [ex BG Riga, Lithuania]
- 478 0 ***Potentilla nepalensis*** Hook. '**Ron McBeath**'
XX-0-TEBLI-00491
- 479 0 ***Potentilla nitida*** L.
XX-0-TEBLI-01238 [ex BG Bormio, Italy]
- 480 0 ***Potentilla nivalis*** Lapeyr.
XX-0-TEBLI-00493 [ex BG Oldenburg, Germany]
- 481 0 ***Potentilla recta*** L.
CZ-0-PLZEN-2254-12-20
loc. Czech Republic, Western Bohemia, Radčice near Plzeň, dry slope
[coll. V. Pešková & R. Matulová, 05/2012]
[ex ZBG Plzeň, Czech Republic]
- 482 0 ***Potentilla sp.***
MX-0-PLZEN-0175-06-50
loc. Mexico, Chihuahua, San Juanito, Los Robles
[ex ZBG Plzeň, Czech Republic]
- 483 0 ***Prinsepia uniflora*** Batalin
XX-0-TEBLI-02333 [ex BG Olomouc, Czech Republic]
- 484 0 ***Rubus illecebrosus*** Focke
XX-0-TEBLI-01748 [ex BG Wroclaw, Poland]
- 485 0 ***Rubus odoratus*** L.
XX-0-TEBLI-01750 [ex BG Northampton, USA]
- 486 0 ***Rubus phoenicolasius*** Maxim.
XX-0-TEBLI-01930 [ex BG Lublin, Poland]

- 487 O ***Sanguisorba 'Cangshan Cranberry'***
XX-0-TEBLI-02334 [ex Zám. zahr. Ctěnice, Czech Republic]
- 488 O ***Sanguisorba officinalis*** L. [syn. *Sanguisorba menziesii* Rydb.]
XX-0-TEBLI-01473 [ex RHS Garden Wisley, UK]
- 489 O ***Sibbaldiopsis tridentata*** (Aiton) Rydb.
XX-0-TEBLI-02335 [ex Zahr. centrum Dvořák, Czech Republic]
- 490 O ***Sibbaldiopsis tridentata*** (Aiton) Rydb. '**Nuuk**'
XX-0-TEBLI-02336 [ex Studený s r.o., Czech Republic]
- 491 O ***Spiraea stevenii*** (C.K.Schneid.) Rydb.
RU-0-TEBLI-02337
loc. Russia [ex ZBG Plzeň, Czech Republic]

Rubiaceae

- 492 G ***Ixora macrothyrsa*** (Teijsm. & Binn.) N.E.Br.
XX-0-LZ-AD-31-1992 [ex BG Leipzig, Germany]
- 493 G ***Psychotria punctata* var. *punctata*** [syn. *Psychotria bacteriophila* Valetton]
XX-0-TEBLI-00925

Rutaceae

- 494 O ***Tetradium daniellii*** (Bennett) T. G. Hartley
XX-0-TEBLI-02338
- 495 O ***Zanthoxylum bungeanum*** Maxim [syn. *Zanthoxylum simulans* Hance]
XX-0-TEBLI-00927

Salicaceae

- 496 G ***Oncoba routledgei*** Sprague
ET-0-TEBLI-02339
loc. Ethiopia, Tigre, Hagere Saelam, near Mekele [ex BG Meise, Belgium]

Sarraceniaceae

- 497 O ***Sarracenia oreophila*** Wherry
XX-0-TEBLI-01239 [ex BG Praha, Czech Republic]
- 498 O ***Sarracenia purpurea*** L.
US-0-TEBLI-00928
loc. USA, New Jersey [coll. V. Rybka] [ex BG Praha, Czech Republic]
- 499 O ***Sarracenia purpurea*** L.
US-0-TEBLI-02340
loc. USA, Michigan, Ingham Co. [ex BG Praha, Czech Republic]

Saxifragaceae

- 500 0 ***Astilbe macroflora*** Hayata
CN-0-PLZEN-1676-09-10
loc. Taiwan, NP Yushan, Tataka Recreation Area, Mt. Linjih Trailhead, 2750 m
[coll. T. Peš, 31. 10. 2009]
[ex ZBG Plzeň, Czech Republic]
- 501 0 ***Astilboides tabularis*** (Hemsl.) Engl.
XX-0-TEBLI-02341
- 502 0 ***Heuchera xbrizoides* 'Firefly'**
XX-0-TEBLI-02043 [ex Černý Seed s r.o., Czech Republic]
- 503 0 ***Heuchera* 'Chocolate Ruffles'**
XX-0-TEBLI-01474 [ex BG Mönchengladbach, Germany]
- 504 0 ***Heuchera* 'Chocolate Ruffles'**
XX-0-TEBLI-02342

Scrophulariaceae

- 505 0 ***Alonsoa meridionalis*** Kuntze
XX-0-TEBLI-01083 [ex Chileflora, Chile]
- 506 0 ***Alonsoa meridionalis*** Kuntze
CL-0-TEBLI-02343
loc. Chile, Valparaíso Region, Santiago - Algarrobo [coll. M. Belov]
[ex Chileflora, Chile]
- 507 0 ***Hebenstretia comosa*** Hochst.
XX-0-TEBLI-02167 [ex BG Krefeld, Germany]
- 508 0 ***Nemesia* 'Seventh Heaven Lavender Bicolour'**
XX-0-TEBLI-02344 [ex Černý Seed s r.o., Czech Republic]
- 509 0 ***Verbascum chaixii*** Vill. 'Album'
XX-0-TEBLI-01242

Solanaceae

- 510 0 ***Atropa bella-donna*** L. [syn. *Atropa bella-donna* var. *lutea* Döll]
XX-0-TEBLI-02345
- 511 0 ***Browallia speciosa*** Hook.
XX-0-TEBLI-02346 [ex BG Krefeld, Germany]
- 512 0 ***Capsicum annuum*** L. 'Black Pearl'
XX-0-TEBLI-01766 [ex BG ČZU Praha Suchdol, Czech Republic]
- 513 0 ***Capsicum annuum*** L. 'Cayenne Lilac'
XX-0-TEBLI-00765 [ex seminka-chilli.cz, Czech Republic]
- 514 0 ***Capsicum annuum*** L. 'New Mexico Red'
XX-0-TEBLI-02176 [ex Chilli-semena, Czech Republic]
- 515 0 ***Capsicum annuum*** L. 'Pimientos de Padron'
XX-0-TEBLI-02347 [ex BG Siena, Italy]

- 516 0 ***Capsicum annuum*** L. '**Purple Ufo**'
XX-0-TEBLI-02177 [ex Chilli-semena, Czech Republic]
- 517 0 ***Capsicum annuum*** L. '**Tequila Sunrise**'
XX-0-TEBLI-02179 [ex Chilli-semena, Czech Republic]
- 518 0 ***Capsicum baccatum*** L. '**Aji Pineapple**'
XX-0-TEBLI-02052 [ex gadar.cz, Czech Republic]
- 519 0 ***Capsicum baccatum*** L. '**Brazilian Starfish**'
XX-0-TEBLI-02348 [ex BG ČZU Praha Suchdol, Czech Republic]
- 520 0 ***Capsicum baccatum*** L. '**Christmas Bells**'
XX-0-TEBLI-01769 [ex BG ČZU Praha Suchdol, Czech Republic]
- 521 0 ***Capsicum chinense*** Jacq. '**Habanero Spicy Mustard**'
XX-0-TEBLI-02180 [ex Chilli-semena, Czech Republic]
- 522 0 ***Capsicum chinense*** Jacq. '**Trinidad Morunga Scorpiin Yellow**'
XX-0-TEBLI-02349 [ex Chilli-semena, Czech Republic]
- 523 0 ***Datura wrightii*** Regel
XX-0-TEBLI-01250 [ex Sementes]
- 524 0 ***Schizanthus lacteus*** Phil.
CL-0-TEBLI-01252
loc. Chile, Atacama Region, Huasco Province, PN Llanos de Challe
[coll. J. R. Haager & H. Šedivá, 2013]
- 525 0 ***Schizanthus pinnatus*** Ruiz & Pav.
XX-0-TEBLI-02350 [ex BG Krefeld, Germany]

Styracaceae

- 526 0 ***Styrax obassia*** Siebold & Zucc.
XX-0-TEBLI-02351

Urticaceae

- 527 0 ***Oreocnide frutescens*** (Thunb.) Miq.
[syn. *Debregeasia edulis* (Siebold & Zucc.) Wedd.]
XX-0-TEBLI-02352 [ex Zahr. Krulichovi, Czech Republic]

Violaceae

- 528 0 ***Viola tricolor* subsp. *polychroma*** (Kerner) J. Murr
CZ-0-TEBLI-02353
Loc. Czech Republic, North Bohemia, Fojtovice u Krupky, 50.7163117°N,
13.8549336°E [coll. A. Frolíková, 2. 7. 2022]

Vitaceae

- 529 0 ***Ampelopsis glandulosa* var. *brevipedunculata*** (Maxim.) Momiy
XX-0-TEBLI-00533

Monocots

Amaryllidaceae

- 530 0 **Allium aflatunense** B.Fedtsch.
XX-0-TEBLI-00940
- 531 0 **Allium amphibolum** Ledeb.
XX-0-TEBLI-02186 [ex BG Perm, Russia]
- 532 0 **Allium atropurpureum** Waldst. & Kit.
XX-0-MB-1971/825 [ex BG Marburg, Germany]
- 533 0 **Allium carinatum** L.
SI-0-TEBLI-02354
loc. Slovenia, Lovrenc [ex BG Ljubljana, Slovenia]
- 534 0 **Allium carinatum subsp. pulchellum** (G.Don) Bonnier & Layens '**Album**'
XX-0-TEBLI-01255 [ex Jelitto, Germany]
- 535 0 **Allium carolinianum** DC.
XX-0-TEBLI-02355 [ex BG Izhevsk, Russia]
- 536 0 **Allium pskemense** B.Fedtsch
XX-0-TEBLI-02189 [ex BG Moskva, Russia]
- 537 0 **Allium sarawschanicum** Regel
XX-0-TEBLI-01779 [ex BG Gatineau, Canada]
- 538 0 **Allium sphaerocephalon** L.
FR-0-BR-19801799
loc. France, Jura, Le Mont Poupet [ex BG Meise, Belgium]
- 539 0 **Allium stipitatum** Regel '**Mount Everest**'
XX-0-TEBLI-02356 [ex Lukon Glads, Czech Republic]
- 540 0 **Allium victorialis** L.
XX-0-TEBLI-01784 [ex BG MU Brno, Czech Republic]
- 541 0 **Tulbaghia simmleri** Beauverd
XX-0-TEBLI-02357 [ex Zahr. Krulichovi, Czech Republic]

Araceae

- 542 G **Anthurium scandens** (Aubl.) Engl.
CR-0-TEBLI-0206
loc. Costa Rica, road San Carlo-Fortuna
- 543 G **Remusatia vivipara** (Roxb.) Schott
XX-0-TEBLI-02062 [ex BG Greifswald, Germany]

Areaceae

- 544 G ***Caryota cf. mitis***
VN-0-TEBLI-01376
loc. Vietnam, near Da Lat, Dray Sap waterfalls
[coll. J. R. Haager & R. Rybková, 1999]

Asparagaceae

- 545 O ***Anthericum ramosum*** L.
AT-0-KL-2014/3346
loc. Austria, Kärnten, Grafenstein, 430 m [ex BG Klagenfurt, Austria]
- 546 O ***Camassia leichtlinii*** (Baker) S.Watson
[syn. *Camassia leichtlinii* subsp. *leichtlinii* (Baker) S.Watson]
XX-0-TEBLI-01097 [ex Lukon Glads, Czech Republic]
- 547 O ***Hosta minor*** (Baker) Nakai
XX-0-TEBLI-02358 [ex BG MZLU Brno, Czech Republic]
- 548 O ***Leopoldia comosa*** (L.) Parl.
TR-0-TEBLI-02064
loc. Turkey, Malatia Province [ex BG Salaspils, Lithuania]
- 549 O ***Ornithogalum candicans*** (Baker) J.C.Manning & Goldblatt
[syn. *Galtonia candicans* (Baker) Decne.]
XX-0-TEBLI-02359 [ex BG Michigan, USA]
- 550 O ***Triteleia laxa*** Benth. '**Königin Fabiola**'
XX-0-TEBLI-01378 [ex Lukon Glads, Czech Republic]

Asphodelaceae

- 551 O ***Asphodeline lutea*** Rchb.
XX-0-TEBLI-00582
- 552 O ***Asphodelus albus*** Mill.
XX-0-TEBLI-02360 [ex MNHN Paris, France]
- 553 O ***Kniphofia citrina*** Baker
XX-0-HAL-13445 [ex BG Halle, Germany]
- 554 O ***Kniphofia hirsuta*** Codd
XX-0-TEBLI-00976 [ex ZBG Plzeň, Czech Republic]
- 555 O ***Kniphofia sarmentosa*** Kunth
XX-0-HAL-13440 [ex BG Halle, Germany]
- 556 O ***Kniphofia thomsonii* var. *snowdenii*** (C.H.Wright) Marais
XX-0-HAL-13442 [ex BG Halle, Germany]
- 557 O ***Kniphofia triangularis*** Kunth
loc. Republic of South Africa, Eastern Cape [ex Silverhill Seeds, South Africa]

Bromeliaceae

- 558 G ***Aechmea penduliflora*** André
XX-0-STUTZ-000457 [ex ZBG Stuttgart-Wilhelma, Germany]
- 559 G ***Aechmea pyramidalis*** Benth.
XX-0-TEBLI-02362 [ex BG Bochum, Germany]
- 560 G ***Guzmania osyana*** Mez
EC-0-HEID-103965
loc. Ecuador, Dept. Pichincha, Cotopaxi and El Oro, on the old road to Quito, Hacienda Selva Negra, 1000 m [leg. W. Rauh, 34472, 3. 8. 1973]
[ex BG Magdeburg, Germany]
- 561 G ***Guzmania vittmackii*** André ex Mez
XX-0-ULM-2011-G-200 [ex BG Ulm, Germany]
- 562 G ***Orthophytum foliosum*** L.B.Sm.
XX-0-TEBLI-02363 [ex BG Ulm, Germany]
- 563 G ***Vriesea heliconioides*** Lindl.
XX-0-TEBLI-01260 [ex Zoo Rotterdam, Netherlands]
- 564 G ***Vriesea racinae*** L.B.Sm.
XX-0-TEBLI-02364 [ex Zoo Rotterdam, Netherlands]

Commelinaceae

- 565 O ***Murdannia loriformis*** (Hassk.) R.S.Rao & Kammathy
XX-0-TEBLI-01282 [ex Zahr. Krulichovi, Czech Republic]

Cyperaceae

- 566 O ***Carex appressa* var. *virgata*** (Sol. Ex Boott) Kük.
XX-0-TEBLI-02191 [ex BG Christchurch, New Zealand]
- 567 O ***Carex buchananii*** Berggr. '**Red Rooster**'
XX-0-TEBLI-02365
- 568 O ***Carex comans*** Berggr. '**Bronco**'
XX-0-TEBLI-01381
- 569 O ***Carex comans*** Berggr. '**Frosted Curls**'
XX-0-TEBLI-02366 [ex BG Kursk, Russia]
- 570 O ***Carex grayi*** J.Carey
XX-0-TEBLI-01383 [ex OBI, Czech Republic]
- 571 O ***Carex maorica*** Hamlin
NZ-0-TEBLI-02367
loc. New Zealand, Christchurch, Hagley Park, 43°31'S, 172°37'E
[ex ZBG Plzeň, Czech Republic]
- 572 O ***Carex tenuiculmis*** (Petrie) Heenan & de Lange
XX-0-TEBLI-01492 [ex BG Tartu, Estonia]

- 573 O ***Eriophorum angustifolium*** Honck.
CZ-0-TEBLI-02368
loc. Czech Republic, North Bohemia, lake Cínovecké oko, 50.7262375°N,
13.8185428°E [coll. A. Frolíková, 2. 7. 2022]
- 574 O ***Scirpus atrovirens*** Willd.
XX-0-TEBLI-01494 [ex BG Göttingen, Germany]

Heliconiaceae

- 575 G ***Heliconia metallica*** Planch. & Linden
XX-0-TEBLI-02369

Hypoxidaceae

- 576 G ***Curculigo gracilis*** Wall. [syn. *Molineria gracilis* Kurz]
VN-0-TEBLI-02370
loc. Vietnam, Tam Dao [coll. Makovec, 1991]
[ex ZBG Plzeň, Czech Republic]
Iridaceae
- 577 G ***Deluciris rupestris*** (Ravenna) Lovo & A.Gil [syn. *Trimezia rupestris* Ravenna]
XX-0-TEBLI-00962 [ex Mauro Peixoto, Brazil]
- 578 G ***Dietes iridioides*** (L.) Sweet ex Klatt
XX-0-DR-003005 [ex Silverhill Seeds, South Africa]
- 579 O ***Iris hookeri*** Penny ex G.Don
XX-0-TEBLI-01385 [ex BG Petrozavodsk, Russia]
- 580 O ***Iris sintenisii*** Janka
XX-0-TEBLI-02193 [ex BG Antwerpen, Belgium]
- 581 O ***Orthrosanthus multiflorus*** Sweet.
XX-0-TEBLI-02371 [ex BG Antwerpen, Belgium]
- 582 G ***Phalocallis coelestis*** (Lehm.) Ravenna
XX-0-TEBLI-02372 [ex BG Chemnitz, Germany]
- 583 O ***Sisyrinchium macrocarpum*** Hieron.
XX-0-DATH-6657 [ex BG Darmstadt, Germany]
- 584 O ***Solenomelus pedunculatus*** Hochr.
XX-0-TEBLI-02373 [ex Chileflora, Chile]
- 585 G ***Trimezia longifolia*** (Link & Otto) Christenh. & Byng
[syn. *Neomarica longifolia* Sprague]
XX-0-TEBLI-00961 [ex BG Praha, Czech Republic]
- 586 O ***Juncus ensifolius*** Wikstr.
XX-0-TEBLI-01387 [ex Jelitto, Germany]

Liliaceae

- 587 O ***Lilium lancifolium*** Thunb.
XX-O-TEBLI-02374 [ex BG Lvov, Ukraine]

Musaceae

- 588 G ***Musa velutina*** H. Wendl. & Drude
XX-O-BAYRT-2202 [ex BG Bayreuth, Germany]

Poaceae

- 589 O ***Cortaderia araucana*** Stapf
CL-O-TEBLI-02072
loc. Chile, Araucanía Region, Cautín Province, Conguillío NP, Volcán Llaima
[coll. J. R. Haager & H. Šedivá, 2015]
- 590 O ***Elymus magellanicus*** (É.Desv.) Á. Löve
XX-O-TEBLI-02375; G-2014.195
[ex BG Stavanger, Norway]
- 591 O ***Festuca glauca*** Vill. '**Festina**'
XX-O-TEBLI-00570 [ex Černý Seed s r.o., Czech Republic]
- 592 O ***Festuca novae-zelandiae*** (Hack.) Cockayne
NZ-O-GIESS-2000-J-1209-2
loc. New Zealand [ex BG Leipzig, Germany]
- 593 O ***gen. et spec. indet.***
MX-O-TEBLI-02376
loc. Mexico, state of Mexico, Teotihuacan [coll. M. Strnadová, 2021]
- 594 O ***Harporchloa falx*** (L.f.) Kuntze
XX-O-TEBLI-01266 [ex BG Weinheim, Germany]
- 595 O ***Chasmanthium latifolium*** (Mitchx.) H.O.Yates
US-O-TUEB-1684
loc. USA, Oklahoma, Arbuckle Mountains, sea oats [coll. M. Guttenberger,
1996] [ex BG Tübingen, Germany]
- 596 O ***Lygeum spartum*** Loefl. ex L.
XX-O-AJBLL-17165 [ex BG Lleida, Spain]
- 597 O ***Melica ciliata*** L.
XX-O-ROST-2003-F-3026 [ex BG Rostock, Germany]
- 598 O ***Nassella tenuissima*** (Trin.) Barkworth. '**Pony Tails**'
[syn. *Stipa tenuissima* Trin. 'Pony Tails']
XX-O-TEBLI-00581
- 599 G ***Oryza sativa*** L.
XX-O-STGAL-21478 [ex BG St. Gallen, Switzerland]
- 600 G ***Oryza sativa*** L.
XX-O-TUEB-2710 [ex BG Tübingen, Germany]

- 601 G ***Oryza sativa*** L. '**Loto**'
XX-0-TEBLI-02377
- 602 O ***Panicum virgatum*** L. '**Hänse Herms**'
XX-0-TEBLI-02378 [ex Pereny Hlavenec, Czech Republic]
- 603 O ***Pennisetum alopecuroides*** (L.) Spreng. '**Red Head**'
XX-0-TEBLI-01800 [ex Zám. zahr. Ctěnice, Czech Republic]
- 604 O ***Pennisetum glaucum*** (L.) R.Br. '**Purple Majesty**'
XX-0-TEBLI-02196 [ex BG Praha, Czech Republic]
- 605 O ***Schizachyrium scoparium*** (Michx.) Nash
CA-0-TEBLI-02379
loc. Canada, Ontario, Walsingham [ex BG Niagara Falls, USA]
- 606 O ***Schizachyrium scoparium*** (Michx.) Nash '**Explosion**'
XX-0-TEBLI-00973 [ex Zám. zahr. Ctěnice, Czech Republic]
- 607 O ***Sorghum bicolor*** (L.) Moench '**Safari**'
XX-0-TEBLI-02380 [ex BG Kursk, Russia]
- 608 O ***Stipa lessingiana*** Trin. & Rupr.
XX-0-TEBLI-02381 [ex BG Akureyri, Iceland]
- 609 O ***Stipa splendens*** Trin.
XX-0-LZ-ZF-156-1995 [ex BG Leipzig, Germany]
- 610 O ***Wangenheimia lima*** (L.) Trin. '**Vulcan**'
XX-0-TEBLI-02080 [ex BG Stockholm, Sweden]

Xanthorrhoeaceae

- 611 G ***Aloe albiflora*** Guillaumin
XX-0-TEBLI-01803
- 612 G ***Burbidgea schizocheila*** Hackett
XX-0-TEBLI-02382 [ex BG Praha, Czech Republic]
- 613 G ***Burbidgea stenantha*** Ridl.
XX-0-TEBLI-02081 [ex BG Olomouc, Czech Republic]
- 614 G ***Hedychium horsfieldii*** Wall. [syn. *Brachychilum horsfieldii* (Wall.) Petersen]
VN-0-TEBLI-02383
loc. Vietnam, Phan Rang

Desiderata 2022-2023

Based on the Convention on Biological Diversity (CBD, Rio de Janeiro 1992) the Index seminum is exclusively intended for the institutions operating in research, education and nature protection areas. Conditions coming from the Nagoya Protocol must be fulfilled for scientific purposes. Any material acquired from these seeds is not allowed to be used for commercial purposes.

Our botanical garden is a part of the IPEN network (= International Plant Exchange Network). You can find us under the institution code **TEBLI**. More information, see <https://botanischetuinutrecht.nl/data/ipenlist.php>

Non IPEN-members have to return the „Agreement on the supply of living plant material for non-commercial purposes“. IPEN members do not have to sign the agreement.

PHYTOSANITARY REGULATION

Please check the import conditions in your country and see below.

EU countries

We issue plant passports for countries within EU. The minimal number of items is not limited.

Non-EU countries

We are providing phytosanitary certificates after the 31st May, when all requests from non-EU botanical gardens are available. Minimum order is 10 packets of seeds due to the demanding phytosanitary controls.

INFORMATION

All Seeds are result of open pollination. Hybridization may occur.

Nomenclature of plants is mainly based on:

www.worldfloraonline.org

<http://apps.rhs.org.uk/horticulturaldatabase/HortGenera.asp>

ABBREVIATIONS:

O – plant is cultivated outdoors

G – plant is cultivated in greenhouses

PLEASE SEND THE REQUESTS TO THE ADDRESS:

botanika@botanickateplice.cz

For easier application completion use the form „Desiderata“ to fill in PDF or docx forma (download <https://www.botanickateplice.cz/en/index-seminum>). You can also write the desired list in an e-mail message or order at the website: <https://indexseminum.bgci.org/catalogue/teplice-botanical-garden>.

Order by e-mail is preferred, but you can order by post too.

Botanical Garden Teplice

Josefa Suka 1388/18

415 01 Teplice, Czech Republic

**Please, limit your
request to 30 items,
deadline is 31st May 2023.**

Desiderata 2022-2023

MAILING ADDRESS:

Botanická zahrada Teplice
Josefa Suka 1388/18
415 01 Teplice, Czech Republic

VIA E-MAIL

(PREFERABLY):

curator@botanickateplice.cz
botanika@botanickateplice.cz

YOUR ADDRESS:

**LEGIBLY WRITE OR TYPE NUMBERS OF DESIRED SEEDS IN BOXES BELOW
(LIMIT 30 ITEMS):**

IPEN
MEMBER:

YES

NO

PHYTOSANITARY CERTIFICATE
(NON-EU MEMBERS):

YES

NO

**IN THE FUTURE, PLEASE SEND THE INDEX SEMINUM
TO THE FOLLOWING E-MAIL ADDRESS:**

AGREEMENT ON THE SUPPLY OF LIVING PLANT MATERIAL FOR NON-COMMERCIAL PURPOSES LEAVING THE INTERNATIONAL PLANT EXCHANGE NETWORK

Against the background of the provisions and decisions of the Convention on Biological Diversity of 1992 (CBD) and in particular those on access to genetic resources and benefit-sharing, the garden is dedicated to promoting the conservation, sustainable use, and research of biological diversity. The garden therefore expects its partners in acquiring, maintaining, and transferring plant material to always act in accordance with the CBD and the Convention on the International Trade in Endangered Species (CITES).

The responsibility for legal handling of the plant material passes on to the recipient upon receipt of the material. The requested plant material will be supplied to the recipient only on the following conditions:

1. Based on this agreement, the plant material is supplied only for non-commercial use such as scientific study and educational purposes as well as environmental protection. Should the recipient at a later date intend a commercial use or a transfer for commercial use, the country of origin's prior informed consent (PIC) must be obtained in writing before the material is used or transferred. The recipient is responsible for ensuring an equitable sharing of benefits.
2. On receiving the plant material, the recipient endeavours to document the received plant material, its origin (country of origin, first receiving garden, „donor“ of the plant material, year of collection) as well as the acquisition and transfer conditions in a comprehensible manner.
3. In the event that scientific publications are produced based on the supplied plant material, the recipient is obliged to indicate the origin of the material (the supplying garden and if known the country of origin) and to send these publications to the garden and to the country of origin without request.
4. On request, the garden will forward relevant information on the transfer of the plant material to the body charged with implementing the CBD.
5. The recipient may transfer the received plant material to third parties only under these terms and conditions and must document the transfer in a suitable manner (e.g. by using the documentation form).

I ACCEPT THE ABOVE CONDITIONS.

Date	Signature, stamp
------	------------------

Recipient's name	Address
------------------	---------



**BOTANICKÁ ZAHRADA
TEPLICE**